

STIC Database Tracking Number:

To: Linh Giang Le
Location: Knox 5A51
Art Unit: 3686
Date: April 13, 2009
Case Serial Number: 09/943,193

From: Caryn Wesner-Early
Location: EIC3600, Knox 4C29
Phone: (571) 272-3543
caryn.wesner-early@uspto.gov

Search Notes

Dear Examiner Le:

Please find attached the results of your search for the above-referenced case. The search was conducted in the template files.

I have listed references of *potential* interest in the first part of the search results. However, please be sure to scan through the entire report. There may be additional references that you might find useful.

If you have any questions about the search, or need a refocus, please do not hesitate to contact me.

Thank you for using the EIC, and we look forward to your next search!

Caryn S. Wesner-Early, MSLS
ASRC Technical Information Specialist
EIC 3600, US Patent & Trademark Office
Phone: (571) 272-3543
Fax: (571) 273-0046
caryn.wesner-early@uspto.gov

I. REFERENCES OF POTENTIAL INTEREST	3
A. Dialog	3
II. INVENTOR SEARCH RESULTS FROM DI A LOG.....	6
III. TEXT SEARCH RESULTS FROM DI A LOG	35
A. Patent Files, Abstract.....	35
B. Patent Files, Full-Text.....	57
IV. TEXT SEARCH RESULTS FROM DI A LOG	70
A. NPL Files, Abstract	70
B. NPL Files, Full-Text	81
V. ADDITIONAL RESOURCES SEARCHED	130

I. References of Potential Interest

A. Dialog

21/ 3,K/ 11 (Item 11 from file: 349) * Bad date*****

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00844691 **Image available**

ONLINE DIGITAL VIDEO SIGNAL TRANSFER APPARATUS AND METHOD APPAREIL ET PROCEDE DE TRANSFERT DE SIGNAL VIDEO NUMERIQUE EN LIGNE

Patent Applicant/Assignee:

SONY PICTURES DIGITAL ENTERTAINMENT INC, 3960 Ince Boulevard, # 1052,
Culver City, CA 90232, US, US (Residence), US (Nationality)

Inventor(s):

SHERR Scott Jeffrey, 1840 Veteran Avenue, # 304, Los Angeles, CA 90025, US,
MIRANDA Eva, 20141 Rancho Bella Vista, Saratoga, CA 95070, US,
RUBENSTEIN Ira Steven, 1348 Beckwith Avenue, Los Angeles, CA 90049, US,
CAREY Sean Brennan, 744 Oxford Avenue, Marina del Rey, CA 90292, US,
LANDAU Yair, 1427 Chastain Parkway West, Pacific Palisades, CA 90272, US,
FRANK Andrew C, 2166 Broadway # 15E, New York, NY 10024, US,
LAKAMP Brian David, 18131 Kingsport Drive, Malibu, CA 90265, US,
SPAULDING Bryan Gentry, 55 Santa Clara Avenue, San Francisco, CA 94127, US,
EVANS Charles Jonathan, 55 West 14th Street, Apt. 2E, New York, NY 10011, US,
SCHNABEL Everton Anthony, 428 N. Laurel Avenue, Los Angeles, CA 90048, US,
OCHS Hartmut, 818 Parkman Avenue, Los Angeles, CA 90026, US,
BARNETT Jeremy Eli, 563 Via de la Paz, Pacific Palisades, CA 90272, US,
PALMER Seth David, 33 Gold Street, Apt. 509, New York, NY 10038, US,
ENDERSON Todd Michael, 2249 Veteran Avenue, Los Angeles, CA 90064, US,
CHONG William W, 20 Confucius Plaza, # 18M, New York, NY 10002, US,
FOREST Bruce, 10 Spring Valley Road, Weston, CT 06883, US,
KOENIG Steven, 1751 Croner Avenue, Menlo Park, CA 94025, US,
WIERSHOLM Karl, 7624 116th Avenue, N.E., Kirkland, WA 98033, US,

Legal Representative:

RITTMASER Ted R (agent), Foley & Lardner, Suite 3500, 2029 Century Park
East, Los Angeles, CA 90067-3021, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200178367 A2-A3 20011018 (WO 0178367)

Application: WO 2001US11124 20010405 (PCT/WO US0111124)

Priority Application: US 2000195870 20000407; US 2000603805 20000626

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT
LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
TR TT TZ UA UG UZ VN YU ZA ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 13856

...International Patent Class (v7): * G06F-003/00* ...

...* G06F-013/00*

Fulltext Availability:

Detailed Description

Claims

Detailed Description

... attempts to bypass the encryption key within the movie file, the Archive Management System may *detect* such abuse and may override other file management - 21 software on the user's storage...

Claim

... production of a user-perceptible form of the selected content when conditions defined by the *access* *level* *information* are not met; and *charging* a license *fee* to a *user* of the network enabled device based on a license access level.

25/ 3,K/ 5 (Item 5 from file: 624)

DIALOG(R) File 624: McGraw-Hill Publications

(c) 2009 McGraw-Hill Co. Inc. All rts. reserv.

0008013

Developments to Watch

EDITED BY OTIS PORT

Business Week, Number 2916, Pg 104

October 14, 1985

JOURNAL CODE: BW

SECTION HEADING: Developments to Watch ISSN: 0007-7135

WORD COUNT: 924

TEXT:

... receive data while in automobiles or on trains. Apart from the \$425 price of the *transceiver* for the *computer*, *user* *fees* will be reasonable: \$12 to sign up, plus \$4 per month and 5 for each...

25/ 3,K/ 8 (Item 3 from file: 485)

DIALOG(R)File 485:Accounting & Tax DB

(c) 2009 ProQuest Info&Learning. All rts. reserv.

* * FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 * *

00573677

Allocating the cost of accounting for computer services

Doost, Roger K

CPA Journal v66 n6 PP: 68-69 Jun 1996

ISSN: 0732-8435 JRNL CODE: CPA

WORD COUNT: 1732 LINE COUNT: 157

Accounting & Tax DB_1971-2009/Apr W1

...TEXT: department commits to purchasing certain equipment and software for processing, printing, and storage of needed *information*, it makes *sense* to *charge* the *users* based on their budgeted requests where capacity utilization (fixed costs) is concerned. In this manner...

II. Inventor Search Results from Dialog

? show files;ds

File 471:New York Times Fulltext 1980-2009/Apr 13

(c) 2009 The New York Times

File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13

(c) 2002 Gale/Cengage

File 164:Allied & Complementary Medicine 1984-2009/Apr

(c) 2009 BLHCIS

File 474:New York Times Abs 1969-2009/Apr 12

(c) 2009 The New York Times

File 475:Wall Street Journal Abs 1973-2009/Apr 11

(c) 2009 The New York Times

File 155:MEDLINE(R) 1950-2009/Apr 09

(c) format only 2009 Dialog

File 35:Dissertation Abs Online 1861-2009/Mar

(c) 2009 ProQuest Info&Learning

File 65:Inside Conferences 1993-2009/Apr 09

(c) 2009 BLDSC all rts. reserv.

File 91:MANTIS(TM) 1880-2008/Aug

2001 (c) Action Potential

File 99:Wilson Appl. Sci & Tech Abs 1983-2009/Feb

(c) 2009 The HW Wilson Co.

File 144:Pascal 1973-2009/Apr W1

(c) 2009 INIST/CNRS

File 45:EMCare 2009/Apr W1

(c) 2009 Elsevier B.V.

File 431:MediConf: Medical Con. & Events 1998-2004/Oct B2

(c) 2004 Dr. R. Steck

File 5:Biosis Previews(R) 1926-2009/Apr W1

(c) 2009 The Thomson Corporation

File 24:CSA Life Sciences Abstracts 1966-2009/Jul

(c) 2009 CSA.

File 136:BioEngineering Abstracts 1966-2007/Jan

(c) 2007 CSA.

File 6:NTIS 1964-2009/Apr W2

(c) 2009 NTIS, Intl Cpyrght All Rights Res

File 2:INSPEC 1898-2009/Apr W1

(c) 2009 Institution of Electrical Engineers

File 73:EMBASE 1974-2009/Apr 09

(c) 2009 Elsevier B.V.

File 34:SciSearch(R) Cited Ref Sci 1990-2009/Apr W1

(c) 2009 The Thomson Corp

File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec

(c) 2006 The Thomson Corp

File 23:CSA TECHNOLOGY RESEARCH DATABASE 1963-2009/MAR

(c) 2009 CSA.

File 8: Ei Compendex(R) 1884-2009/Mar W5
 (c) 2009 Elsevier Eng. Info. Inc.
 File 634: San Jose Mercury Jun 1985-2009/Apr 10
 (c) 2009 San Jose Mercury News
 File 610: Business Wire 1999-2009/Apr 02
 (c) 2009 Business Wire.
 File 613: PR Newswire 1999-2009/Apr 13
 (c) 2009 PR Newswire Association Inc
 File 810: Business Wire 1986-1999/Feb 28
 (c) 1999 Business Wire
 File 813: PR Newswire 1987-1999/Apr 30
 (c) 1999 PR Newswire Association Inc
 File 20: Dialog Global Reporter 1997-2009/Apr 13
 (c) 2009 Dialog
 File 369: New Scientist 1994-2009/Mar W5
 (c) 2009 Reed Business Information Ltd.
 File 370: Science 1996-1999/Jul W3
 (c) 1999 AAAS
 File 996: Newsroom 2000-2003
 (c) 2008 Dialog
 File 98: General Sci Abs 1984-2009/Apr
 (c) 2009 The HW Wilson Co.
 File 75: TGG Management Contents(R) 86-2009/Mar W2
 (c) 2009 Gale/Cengage
 File 149: TGG Health&Wellness DB(SM) 1976-2009/Mar W3
 (c) 2009 Gale/Cengage
 File 444: New England Journal of Med. 1985-2009/Dec W4
 (c) 2009 Mass. Med. Soc.
 File 9: Business & Industry(R) Jul/1994-2009/Apr 11
 (c) 2009 Gale/Cengage
 File 13: BAMP 2009/Apr 08
 (c) 2009 Gale/Cengage
 File 15: ABI/Inform(R) 1971-2009/Apr 13
 (c) 2009 ProQuest Info&Learning
 File 16: Gale Group PROMT(R) 1990-2009/Mar 20
 (c) 2009 Gale/Cengage
 File 47: Gale Group Magazine DB(TM) 1959-2009/Apr 02
 (c) 2009 Gale/Cengage
 File 148: Gale Group Trade & Industry DB 1976-2009/Mar 27
 (c) 2009 Gale/Cengage
 File 160: Gale Group PROMT(R) 1972-1989
 (c) 1999 The Gale Group
 File 275: Gale Group Computer DB(TM) 1983-2009/Mar 18
 (c) 2009 Gale/Cengage
 File 621: Gale Group New Prod. Annou.(R) 1985-2009/Mar 09
 (c) 2009 Gale/Cengage
 File 635: Business Dateline(R) 1985-2009/Apr 11
 (c) 2009 ProQuest Info&Learning

File 636:Gale Group Newsletter DB(TM) 1987-2009/Mar 20
(c) 2009 Gale/Cengage
File 135:NewsRx Weekly Reports 1995-2009/Mar W4
(c) 2009 NewsRx
File 249:Mgt. & Mktg. Abs. 1976-2007Apr W5
(c) 2007 Pira International
File 624:McGraw-Hill Publications 1985-2009/Apr 10
(c) 2009 McGraw-Hill Co. Inc
File 485:Accounting & Tax DB 1971-2009/Apr W1
(c) 2009 ProQuest Info&Learning
File 56:Computer and Information Systems Abstracts 1966-2009/Apr
(c) 2009 CSA.
File 441:ESPICOM Pharm&Med DEVICE NEWS 2009/Jan W4
(c) 2009 ESPICOM Bus.Intell.
File 347:JAPIO Dec 1976-2008/Oct(Updated 090220)
(c) 2009 JPO & JAPIO
File 348:EUROPEAN PATENTS 1978-200915
(c) 2009 European Patent Office
File 349:PCT FULLTEXT 1979-2009/UB= 20090402| UT= 20090326
(c) 2009 WIPO/Thomson
File 350:Derwent WPIX 1963-2009/UD= 200919
(c) 2009 Thomson Reuters
File 371:French Patents 1961-2002/BOPI 200209
(c) 2002 INPI. All rts. reserv.

Set	Items	Description
S1	56734	AU= (RIFF, K? OR RIFF K? OR RIFF(2N)(KENNETH OR KEN) OR LINDEN, G? OR LINDEN G? OR LINDEN(2N)(GREGORY OR GREG) OR SMITH, K? OR SMITH K? OR SMITH(2N)KURT)
S2	3390	S1 FROM 347,348,349,350,371
S3	7744	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S4	979	S2 AND S3
S5	8093	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S6	243	S4(S)S5
S7	126	S4(10N)S5
S8	126	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S9	0	S7(S)S8
S10	0	S6(S)S8
S11	27	S7 AND IC= (G06F OR G06Q OR A61B)

S12 107 S4(7N)S5
 S13 20 S12 AND IC= (G06F OR G06Q OR A61B)
 S14 20 IDPAT (sorted in duplicate/non-duplicate order)
 S15 18 IDPAT (primary/non-duplicate records only)
 S16 53344 S1 NOT S2
 S17 6765 S3 AND S16
 S18 1056 S5(S)S17
 S19 0 S8(S)S18
 S20 6 S8(S)S17
 S21 2 RD (unique items)
 S22 20 S15 OR S21

22/ AA,AN,AZ,TI/ 1 (Item 1 from file: 155)

DIALOG(R)File 155:(c) format only 2009 Dialog. All rts. reserv.

12129784 PMID: 8895561

CrmA expression in T lymphocytes of transgenic mice inhibits CD95 (Fas/ APO-1)-transduced apoptosis, but does not cause lymphadenopathy or autoimmune disease.

22/ AA,AN,AZ,TI/ 2 (Item 1 from file: 47)

DIALOG(R)File 47:(c) 2009 Gale/Cengage. All rts. reserv.

04514189 SUPPLIER NUMBER: 18316255

Initiative and influence: the contributions of Virginia Haviland to children's services, research, and writing.(Imagination and Scholarship: The Contributions of Women to American Youth Services and Literature)

22/ AA,AN,AZ,TI/ 3 (Item 1 from file: 348)

DIALOG(R)File 348:(c) 2009 European Patent Office. All rts. reserv.

00924233

**MINI MALLY I NVASI VE I MPLANTABLE DEVI CE FOR MONI TORI NG PHYSI OLOGI C
EVENTS**

**MINI MALI NVASI VE I MPLANTI ERBARE VORRI CHTUNG ZUR UBERWACHUNG
PHYSI OLOGI SCHER VORGANGE**

**DI SPOSIT I F I MPLANTABLE PEU I NVASI F PERMETTANT DE SURVEI LLER DES
EVENEMENTS PHYSI OLOGI QUES**

APPLICATION (CC, No, Date): EP 97933513 970709; WO 97US12443 970709

PRIORITY (CC, No, Date): US 678219 960711

22/ AA,AN,AZ,TI/ 4 (Item 1 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

01769554

METHOD AND COMPUTER PROGRAM FOR MANAGING AND OPERATING A DENTAL PRACTICE

PROCEDE ET PROGRAMME INFORMATIQUE POUR GERER ET FAIRE FONCTIONNER UN CABINET DENTAIRE

Application: WO 2007US73284 20070711 (PCT/WO US2007073284)

22/ AA,AN,AZ,TI / 5 (Item 2 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

01537760

TOTAL DENTIST

SYSTEME TOTALDENTIST

Application: WO 2007US200 20070108 (PCT/WO US2007000200)

22/ AA,AN,AZ,TI / 6 (Item 3 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

01182051

MULTIPLAYER BIOFEEDBACK INTERACTIVE GAMING ENVIRONMENT

ENVIRONNEMENT DE JEU INTERACTIF MULTI JOUEUR PRENANT EN COMPTE DES SIGNAUX DE RETROACTION BIOLOGIQUES

Application: WO 2004US15358 20040513 (PCT/WO US04015358)

22/ AA,AN,AZ,TI / 7 (Item 4 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00953895

TRANSCUTANEOUS MONITOR AND METHOD OF USE, USING THERAPEUTIC

OUTPUT FROM AN IMPLANTED MEDICAL DEVICE

MONITEUR TRANSCUTANE ET METHODE D'UTILISATION UTILISANT UNE

SORTIE THERAPEUTIQUE PROVENANT D'UN DISPOSITIF MEDICAL IMPLANTE

Application: WO 2002US13828 20020430 (PCT/WO US0213828)

22/ AA,AN,AZ,TI / 8 (Item 5 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00885613

MEDICAL DEVICE SYSTEMS IMPLEMENTED NETWORK SCHEME FOR REMOTE PATIENT MANAGEMENT

PROGRAMME DE RESEAU DE MISE EN OEUVRE DE SYSTEMES DE DISPOSITIFS

MEDICAUX POUR LA GESTION DE PATIENTS A DISTANCE

Application: WO 2001US27030 20010829 (PCT/WO US0127030)

22/ AA,AN,AZ,TI/ 9 (Item 6 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00884042

**MEDICAL DEVICE SYSTEMS IMPLEMENTED NETWORK SYSTEM FOR REMOTE
PATIENT MANAGEMENT
SYSTEMES DE DISPOSITIFS MEDICAUX MIS EN OEUVRE PAR
L'INTERMEDIAIRE D'UN SYSTEME DE RESEAU POUR SURVEILLER UN PATIENT A
DISTANCE**

Application: WO 2001US26172 20010822 (PCT/WO US0126172)

22/ AA,AN,AZ,TI/ 10 (Item 7 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00814374

**A METHOD AND A SYSTEM FOR USING IMPLANTED MEDICAL DEVICE DATA FOR
ACCESSING THERAPIES
PROCEDE ET SYSTEME D'UTILISATION DE DONNEES D'UN DISPOSITIF
MEDICAL IMPLANTE, DANS LA MISE AU POINT DE THERAPIES**

Application: WO 2000US34519 20001219 (PCT/WO US0034519)

22/ AA,AN,AZ,TI/ 11 (Item 8 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00751320

**IMPLANTABLE MEDICAL DEVICE FOR TRACKING PATIENT CARDIAC STATUS
DISPOSITIF MEDICAL IMPLANTABLE DESTINE AU SUIVI DE L'ETAT CARDIAQUE
D'UN PATIENT**

Application: WO 2000US9194 20000407 (PCT/WO US0009194)

22/ AA,AN,AZ,TI/ 12 (Item 9 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00443089

**IMPEDANCE RESPIRATORY * RATE* MEASURING EDEMA * MONITOR*
DETECTEUR D'OEDEME A IMPEDANCE DE MESURE DU RYTHME RESPIRATOIRE**

Application: WO 98US40 19980108 (PCT/WO US9800040)

22/ AA,AN,AZ,TI/ 13 (Item 1 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0013659076

WPI ACC NO: 2003-755269/

Intravascular drug delivering apparatus for sclerosing varicose vein wall,

has two tubes, and inflatable balloon

Original Titles:

Methods and apparatus for treating the interior of a blood vessel

VERFAHREN UND GERAT ZUR BEHANDLUNG DER INNENSEITE EINES BLUTGEFASSES

METHODS AND APPARATUS FOR TREATING THE INTERIOR OF A BLOOD VESSEL

PROCEDES ET DISPOSITIFS POUR TRAITER L'INTERIEUR D'UN VAISSEAU SANGUIN

Methods and apparatus for sclerosing the wall of a varicose vein

Occludable intravascular catheter for drug delivery and method of using the same

Methods and apparatus for treating the interior of a blood vessel

METHODS AND APPARATUS FOR TREATING THE INTERIOR OF A BLOOD VESSEL

PROCEDES ET DISPOSITIFS POUR TRAITER L'INTERIEUR D'UN VAISSEAU SANGUIN

Local Applications (No Type Date): US 2001898867 A 20010703; US

2003358523 A 20030205; WO 2004US3249 A 20040204; US 2000219931 P

20000721; US 2000221469 P 20000726; US 2000225172 P 20000814; US

2001898867 A 20010703; US 2003358523 A 20030205; US 2004922221 A

20040819; AU 2004211910 A 20040204; EP 2004708212 A 20040204; WO

2004US3249 A 20040204; WO 2004US3249 A 20040204; US 2005544082 A

20050728; WO 2004US3249 A 20040204; JP 2006503331 A 20040204

Priority Applications (no., kind, date): US 2001898867 A 20010703; US

2003358523 A 20030205; EP 2004708212 A 20040204; JP 2006503331 A

20040204; WO 2004US3249 A 20040224; US 2004922221 A 20040819; US

2005544082 A 20050728

22/ AA,AN,AZ,TI/ 14 (Item 2 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0013014874

WPI ACC NO: 2003-093201/

Administering therapeutic substance e.g. vasodilators or insulin, involves administering therapeutic substance from patch attached to skin in response to signal generated by implanted medical device

Original Titles:

Implantable medical device and patch system

IMPLANTIERBARE MEDIZINISCHE VORRICHTUNG UND KISSENELEKTRODENSYSTEM

IMPLANTABLE MEDICAL DEVICE AND PATCH SYSTEM

APPAREIL MEDICAL IMPLANTABLE, SYSTEME DE TIMBRE ET PROCEDE D'UTILISATION

IMPLANTIERBARE MEDIZINISCHE VORRICHTUNG UND KISSENELEKTRODENSYSTEM

IMPLANTABLE MEDICAL DEVICE AND PATCH SYSTEM

APPAREIL MEDICAL IMPLANTABLE ET SYSTEME DE TIMBRE

Implantable medical device and patch system and method of use

IMPLANTABLE MEDICAL DEVICE AND PATCH SYSTEM AND METHOD OF USE

APPAREIL MEDICAL IMPLANTABLE, SYSTEME DE TIMBRE ET PROCEDE D'UTILISATION

Local Applications (No Type Date): WO 2002US13792 A 20020430; EP

2002734124 A 20020430; WO 2002US13792 A 20020430; AU 2002305313 A 20020430; US 2001287521 P 20010430; US 2002137516 A 20020430; AU 2002305313 A 20020430; EP 2002734124 A 20020430; WO 2002US13792 A 20020430; DE 60214698 A 20020430; EP 2002734124 A 20020430; WO 2002US13792 A 20020430; DE 60214698 A 20020430; EP 2002734124 A 20020430; WO 2002US13792 A 20020430
Priority Applications (no., kind, date): US 2001287521 P 20010430; US 2002137516 A 20020430

22/ AA,AN,AZ,TI/ 15 (Item 3 from file: 350)
DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0012737203
WPI ACC NO: 2002-589808/
Blood processing system for surgery, has controller enabling drawing of blood from donor by increasing pressure when failure number of generated pump draw commands exceed preset number

Original Titles:
Blood processing systems and methods that assess and respond to real or potential vein occlusion conditions
BLOOD PROCESSING SYSTEMS AND METHODS THAT ASSESS AND RESPOND TO REAL OR POTENTIAL VEIN OCCLUSION CONDITIONS
SYSTEMES DE TRAITEMENT SANGUIN ET PROCEDES PERMETTANT DE DECELERER DES ETATS D'OCCLUSION VEINEUSE REELS OU POTENTIELS ET DE REAGIR A CES DERNIERS
Local Applications (No Type Date): US 1999389938 A 19990903; US 2001976831 A 20011013; WO 2002US31319 A 20021002
Priority Applications (no., kind, date): US 1999389938 A 19990903; US 2001976831 A 20011013

22/ AA,AN,AZ,TI/ 16 (Item 4 from file: 350)
DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0012469195
WPI ACC NO: 2002-415546/
Medical device system implemented network scheme for remote patient management of chronic diseases using web site and push alert notification of alert level physiological data

Original Titles:
MEDIZINISCHE VORRICHTUNGSSYSTEME IMPLEMENTIERTES NETZWERKSCHEMA FUR FERNPATIENTENVERWALTUNG
PROGRAMME DE RESEAU DE MISE EN OEUVRE DE SYSTEMES DE DISPOSITIFS MEDICAUX

POUR LA GESTION DE PATIENTS A DISTANCE

Medical device systems implemented network scheme for remote patient management

Local Applications (No Type Date): WO 2001US27030 A 20010829; US

2000228645 P 20000829; US 2000228674 P 20000829; US 2000228685 P
20000829; US 2000228686 P 20000829; US 2000228696 P 20000829; US
2000228697 P 20000829; US 2000228698 P 20000829; US 2000228699 P
20000829; US 2000228961 P 20000829; US 2001943193 A 20010829; EP
2001966415 A 20010829; WO 2001US27030 A 20010829; WO 2001US27030 A
20010829; JP 2002522758 A 20010829; US 2000228645 P 20000829; US
2000228674 P 20000829; US 2000228685 P 20000829; US 2000228686 P
20000829; US 2000228696 P 20000829; US 2000228697 P 20000829; US
2000228698 P 20000829; US 2000228699 P 20000829; US 2000228961 P
20000829; US 2001943193 A 20010829; US 2004828545 A 20040420

Priority Applications (no., kind, date): US 2000228961 P 20000829; US

2000228699 P 20000829; US 2000228698 P 20000829; US 2000228697 P
20000829; US 2000228696 P 20000829; US 2000228686 P 20000829; US
2000228685 P 20000829; US 2000228674 P 20000829; US 2000228645 P
20000829; US 2001935019 A 20010822; US 2001943193 A 20010829; US
2004828545 A 20040420

22/ AA,AN,AZ,TI/ 17 (Item 5 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0010409231

WPI ACC NO: 2001-007045/

**Implantable * medical* * device* for * monitoring* patient activity and heart
* rate* conditions includes activity * sensor* , heart * rate* circuit and
timing circuit**

Original Titles:

Implantable medical device for tracking patient cardiac status.

Implantable medical device for tracking patient cardiac status

IMPLANTABLE MEDICAL DEVICE FOR TRACKING PATIENT CARDIAC STATUS

DISPOSITIF MEDICAL IMPLANTABLE DESTINE AU SUIVI DE L'ETAT CARDIAQUE D'UN
PATIENT

Local Applications (No Type Date): WO 2000US9194 A 20000407; US

1999301206 A 19990428; US 1999301206 A 19990428; US 2000723004 A
20001127

Priority Applications (no., kind, date): US 1999301206 A 19990428; US

2000723004 A 20001127

22/ AA,AN,AZ,TI/ 18 (Item 6 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0008888553

WPI ACC NO: 1998-437200/

Implantable edema * monitoring* device, measuring impedance respiratory * rate* - generates respiratory rate value based on evaluation of impedance measurements over time, and generates edema level

Original Titles:

ANZEIGE VON LUNGENODEM MITTELS IMPEDANZMESSUNG DER ATEMFREQUENZ

IMPEDANCE RESPIRATORY * RATE* MEASURING EDEMA * MONITOR*

DETECTEUR D'OEDEME A IMPEDANCE DE MESURE DU RYTHME RESPIRATOIRE

ANZEIGE VON LUNGENODEM MITTELS IMPEDANZMESSUNG DER ATEMFREQUENZ

IMPEDANCE RESPIRATORY * RATE* MEASURING EDEMA * MONITOR*

DETECTEUR D'OEDEME A IMPEDANCE DE MESURE DU RYTHME RESPIRATOIRE

Impedance * monitor* for discerning edema through evaluation of respiratory * rate* .

IMPEDANCE RESPIRATORY * RATE* MEASURING EDEMA * MONITOR*

Local Applications (No Type Date): WO 1998US40 A 19980108; AU 199860155

A 19980108; US 1997792204 A 19970131; EP 1998903360 A 19980108; WO

1998US40 A 19980108; AU 199860155 A 19980108; CA 2278193 A 19980108

; WO 1998US40 A 19980108; EP 1998903360 A 19980108; WO 1998US40 A

19980108; DE 69824424 A 19980108; EP 1998903360 A 19980108; WO

1998US40 A 19980108; DE 69824424 A 19980108; EP 1998903360 A

19980108; WO 1998US40 A 19980108

Priority Applications (no., kind, date): US 1997792204 A 19970131

22/ AA,AN,AZ,TI/ 19 (Item 7 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0005642509

WPI ACC NO: 1991-252378/

Intravascular pressure posture detector - uses two pressure sensors chronically implanted to determine pressure differences for regulation of pace maker

Original Titles:

IM KREISLAUF PLAZIERTE BLUTDRUCKAUFNEHMER ZUR ANZEIGE DER KORPERLAGE EINES PATIENTEN

INTRAVASCULAR PRESSURE POSTURE DETECTOR

DETECTEUR DE POSTURE PAR PRESSION INTRAVASCULAIRE

HERZSCHRITTMACHER MIT IM KREISLAUF PLAZIERTEN BLUTDRUCKAUFNEHMER ZUR ANZEIGE DER KORPERLAGE EINES PATIENTEN

PACEMAKER WITH INTRAVASCULAR PRESSURE POSTURE DETECTOR

STIMULATEUR CARDIAQUE AVEC DETECTEUR DE POSTURE PAR PRESSION

INTRAVASCULAIRE

Intravascular pressure posture detector

INTRAVASCULAR PRESSURE POSTURE DETECTOR

Local Applications (No Type Date): WO 1991US416 A 19910118; US 1990473265

A 19900131; EP 1991904200 A 19910118; WO 1991US416 A 19910118; JP 1991504418 A 19910118; WO 1991US416 A 19910118; EP 1991904200 A 19910118; WO 1991US416 A 19910118; AU 199172539 A 19910118; DE 69101547 A 19910118; EP 1991904200 A 19910118; WO 1991US416 A 19910118

Priority Applications (no., kind, date): US 1990473265 A 19900131

22/ AA,AN,AZ,TI/ 20 (Item 8 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0002287218

WPI ACC NO: 1981-J4453D/

Digital pacing timer for runners - determines speed from number of strides of stored length, and provides runner with audiovisual data concerning progress and stride time

Original Titles:

Digital pacing timer

Local Applications (No Type Date): US 197951016 A 19790622

Priority Applications (no., kind, date): US 197951016 A 19790622

22/ 3,K/ 3 (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2009 European Patent Office. All rts. reserv.

00924233

MINIMALLY INVASIVE IMPLANTABLE DEVICE FOR MONITORING PHYSIOLOGIC EVENTS

**MINIMALINVASIVE IMPLANTIERBARE VORRICHTUNG ZUR UBERWACHUNG
PHYSIOLOGISCHER VORGANGE**

**DISPOSITIF IMPLANTABLE PEU INVASIF PERMETTANT DE SURVEILLER DES
EVENEMENTS PHYSIOLOGIQUES**

PATENT ASSIGNEE:

MEDTRONIC, INC., (3290920), 710 Medtronic Parkway, Minneapolis, Minnesota
55432-5604, (US), (Proprietor designated states: all)

INVENTOR:

WARKENTIN, Dwight, H., 1666 Oak Avenue, St. Paul, MN 55112, (US)

RIFF, Kenneth, M., 11755 38th Avenue, Plymouth, MN 55441, (US)

LEE, Brian, B., 421 France Avenue North, Golden Valley, MN 55422, (US)

CARNEY, James, K., 8978 Westhill Pointe, Eden Prairie, MN 55347, (US)

TURI, Gregg, 127 Lozier Road, Budd Lake, NJ 07828, (US)

KLEIN, George J., Div. of Cardiology, University Hospital, 339 Windermere
Road, London Ontario, N6A 5A5, (CA)

VARRICHIO, Anthony J., 1 Hemlock Lane, Flanders, New Jersey 07836, (US)

LEGAL REPRESENTATIVE:

Hughes, Andrea Michelle et al (75891), Frank B. Dehn & Co., European
Patent Attorneys, 179 Queen Victoria Street, London EC4V 4EL, (GB)

PATENT (CC, No, Kind, Date): EP 944414 A2 990929 (Basic)

EP 944414 B1 051109

WO 1998002209 980122

APPLICATION (CC, No, Date): EP 97933513 970709; WO 97US12443 970709

PRIORITY (CC, No, Date): US 678219 960711

DESIGNATED STATES: CH; DE; FR; LI; NL; SE

INTERNATIONAL PATENT CLASS (V7): A61N-001/375; B01J-035/02; * A61B-005/04*

NOTE:

No A-document published by EPO

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
----------------	----------	--------	------------

CLAIMS B	(English)	200545	925
----------	-----------	--------	-----

CLAIMS B	(German)	200545	892
----------	----------	--------	-----

CLAIMS B	(French)	200545	1057
----------	----------	--------	------

SPEC B	(English)	200545	7374
--------	-----------	--------	------

Total word count - document A	0
-------------------------------	---

Total word count - document B	10248
-------------------------------	-------

Total word count - documents A + B	10248
------------------------------------	-------

...INTERNATIONAL PATENT CLASS (V7): * A61B-005/04*

...SPECIFICATION a rate to initiate the trigger. Additionally the trigger

may be programmed off. The low *rate* counter/comparator may be programmable to *detect* low *rates* of 40 or 30 bpm, requiring 4 consecutive low rate intervals to trigger. Additionally a...

22/ 3,K/ 6 (Item 3 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

01182051 ** Image available**

**MULTIPLAYER BIOFEEDBACK INTERACTIVE GAMING ENVIRONMENT
ENVIRONNEMENT DE JEU INTERACTIF MULTIJOUEUR PRENANT EN COMPTE DES
SIGNAUX DE RETROACTION BIOLOGIQUES**

Patent Applicant/Assignee:

HEALING RHYTHMS LLC, 3330 Eldorado Springs Drive, Boulder, CO 80025, US,
US (Residence), US (Nationality), (For all designated states except: US)

Patent Applicant/Inventor:

SMITH Kurt R, 3400 Eldorado Springs Drive, Boulder, CO 80303, US, US
(Residence), US (Nationality), (Designated only for: US)

BELL Crowin, 3361 Eldorado Springs Drive, Boulder, CO 80303, US, US
(Residence), US (Nationality), (Designated only for: US)

Legal Representative:

KINNEAR Brian (et al) (agent), Holland & Hart, 555 17th Street, Suite
3200, Denver, CO 80201, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 2004104763 A2-A3 20041202 (WO 04104763)

Application: WO 2004US15358 20040513 (PCT/WO US04015358)

Priority Application: US 2003471112 20030516; US 2004816689 20040401

Designated States:

(All protection types applied unless otherwise stated - for applications 2004+)

AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM
DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC
LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO
RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PL PT RO
SE SI SK TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 6692

...International Patent Class (v7): * G06F-017/00* ...

...* G06F-019/00*

Fulltext Availability:

Detailed Description

Detailed Description

... at substantially the same time, such as, a combination or variable heart rate and respiratory *rates*. In other words, the combination of *sensors* and biometrics is a matter of design choice.

Biofeedback sensors 106 would sense the particular...

...event where a multitude of players are connected through individual or shared computers. The biofeedback *sensors* could be *monitoring*, for example, variable heart *rate*.

22/ 3,K/ 7 (Item 4 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00953895 **Image available**

TRANSCUTANEOUS MONITOR AND METHOD OF USE, USING THERAPEUTIC OUTPUT FROM AN IMPLANTED MEDICAL DEVICE

MONITEUR TRANSCUTANE ET METHODE D'UTILISATION UTILISANT UNE SORTIE THERAPEUTIQUE PROVENANT D'UN DISPOSITIF MEDICAL IMPLANTE

Patent Applicant/Assignee:

MEDTRONIC INC, LC 340, 710 Medtronic Parkway, Minneapolis, MN 55432, US,
US (Residence), US (Nationality)

Inventor(s):

RIFF Kenneth M, 900 Old Crystal Bay Road, Orono, MN 55391, US,
LINDEN Gregory J, 26445 Oak Ridge Circle, Shorewood, MN 55331, US,
WILLENBREING James E, 1915 Juliet Avenue, St. Paul, MN 55105, US,

Legal Representative:

ALBRECHT John W (et al) (agent), 710 Medtronic Parkway NE, Minneapolis,
MN 55432-5601, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200287696 A1 20021107 (WO 0287696)

Application: WO 2002US13828 20020430 (PCT/WO US0213828)

Priority Application: US 2001287521 20010430

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English
Fulltext Word Count: 6425

International Patent Class (v7): * A61B-005/00*
Fulltext Availability:
Detailed Description

Detailed Description

... deliver a burst of autodecremental antitachycardia pacing ("ATP") if a ventricular arrhythmia of a certain *rate* is *detected*. The external *monitor* can easily *detect* the specific pattern ...For example, an implantable pacemaker may be programmed to undergo a certain type of pacing *rate* fallback if ischemia is *detected*.

This specific behavior of the implanted medical device, for example, could be sensed and deduced...for the specific implantable medical device 10. For example, ventricular tachycardia ("VT") at a certain *rate* might be programmed to cause implantable *medical* *device* 10 to initiate a specific type of ATP. This information could then be loaded into...

22/ 3,K/ 8 (Item 5 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT
(c) 2009 WIPO/Thomson. All rts. reserv.

00885613 **Image available**

MEDICAL DEVICE SYSTEMS IMPLEMENTED NETWORK SCHEME FOR REMOTE PATIENT MANAGEMENT

PROGRAMME DE RESEAU DE MISE EN OEUVRE DE SYSTEMES DE DISPOSITIFS MEDICAUX POUR LA GESTION DE PATIENTS A DISTANCE

Patent Applicant/Assignee:

MEDTRONIC INC, 710 Medtronic Parkway NE, Minneapolis, MN 55432, US, US
(Residence), US (Nationality)

Inventor(s):

RIFF Kenneth M, 900 Old Crystal Bay Road, Orono, MN 55391, US,
LINDEN Gregory, 26445 Oak Ridge Circle, Shorewood, MN 55331, US,
SMITH Kurt R, 3400 Eldorado Springs Drive, Boulder, CO 80303, US,

Legal Representative:

WOLDE-MICHAEL Girma (agent), Medtronic, Inc. LC340, 710 Medtronic Parkway, Minneapolis, MN 55432, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200217777 A2-A3 20020307 (WO 0217777)

Application: WO 2001US27030 20010829 (PCT/WO US0127030)

Priority Application: US 2000228961 20000829; US 2000228697 20000829; US 2000228696 20000829; US 2000228674 20000829; US 2000228686 20000829; US 2000228685 20000829; US 2000228645 20000829; US 2000228699 20000829; US 2000228698 20000829; US 2001935019 20010822

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

CA JP

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

Publication Language: English

Filing Language: English

Fulltext Word Count: 17339

Main International Patent Class (v7): * A61B-005/00*

Fulltext Availability:

Detailed Description

Claims

Detailed Description

... relevance for the specific patient may be designated for sensing, e.g. a patient's * monitored* signals may include intracardiac pressures, heart * rate*, physical activity, or other signals having the most utility for the patient. This process of...

Claim

... originated signals requesting access to representations of said first data inputs from said database; and * monitoring* data packages to determine *revenue* for the service.

22/ 3,K/ 9 (Item 6 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00884042 **Image available**

MEDICAL DEVICE SYSTEMS IMPLEMENTED NETWORK SYSTEM FOR REMOTE PATIENT MANAGEMENT

SYSTEMES DE DISPOSITIFS MEDICAUX MIS EN OEUVRE PAR L'INTERMEDIAIRE D'UN SYSTEME DE RESEAU POUR SURVEILLER UN PATIENT A DISTANCE

Patent Applicant/Assignee:

MEDTRONICS INC, 710 Medtronic Parkway NE, Minneapolis, MN 55432, US, US
(Residence), US (Nationality)

Inventor(s):

LINDEN Gregory, 26445 Oak Ridge Circle, Shorewood, MN 55331, US,
RIFF Kenneth M, 900 Old Crystal Bay Road, Orono, MN 55391, US,

Legal Representative:

WOLDE-MICHAEL Girma (et al) (agent), Medtronic, Inc. LC340, 710 Medtronic Parkway NE, Minneapolis, MN 55432, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200217593 A2-A3 20020228 (WO 0217593)

Application: WO 2001US26172 20010822 (PCT/WO US0126172)

Priority Application: US 2000227164 20000822

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

CA JP

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

Publication Language: English

Filing Language: English

Fulltext Word Count: 5770

Main International Patent Class (v7): * G06F-019/00*

Fulltext Availability:

Detailed Description

Detailed Description

... relevance for the specific patient may be designated for sensing, e.g. a patient's * monitored* signals may include intracardiac pressures, heart * rate*, physical activity, or other signals. This process of continuous data collection is then supplemented by...

22/ 3,K/ 10 (Item 7 from file: 349)

DIALOG(R) File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00814374 ** Image available**

A METHOD AND A SYSTEM FOR USING IMPLANTED MEDICAL DEVICE DATA FOR ACCESSING THERAPIES

PROCEDE ET SYSTEME D'UTILISATION DE DONNEES D'UN DISPOSITIF MEDICAL IMPLANTE, DANS LA MISE AU POINT DE THERAPIES

Patent Applicant/Assignee:

MEDTRONIC INC, 7000 Central Avenue NE, Minneapolis, MN 55432, US, US
(Residence), US (Nationality)

Inventor(s):

RIFF Kenneth M, 900 Old Crystal Bay Road, Wayzata, MN 55391, US,
MAHONEY Patrick M, 15292 62nd Avenue North, Maple Grove, MN 55311, US,
OWENS Clifton W, 12706 Happy Cake Court, Minnetonka, MN 55305, US,
MEHRA Rahul, 4980 Neal Avenue North, Stillwater, MN 55082-1071, US,
HESS Michael F, 3836 Pillsbury Avenue South, Minneapolis, MN 55409, US,
SHETH Nirav V, 3347 132nd Circle NW, Coon Rapids, MN 55448, US,
POOL Nancy Perry, 11500 Park Ridge Drive West, Minnetonka, MN 55305, US,
UJHELYI Michael R, 9317 Tewsberg Gate North, Maple Grove, MN 55311, US,

Legal Representative:

WOLDE-MICHAEL Girma (et al) (agent), Medtronic, Inc. MS301, 7000 Central Avenue NE, Minneapolis, MN 55432, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200147600 A1 20010705 (WO 0147600)

Application: WO 2000US34519 20001219 (PCT/WO US0034519)

Priority Application: US 99173062 19991224

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

CA JP

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

Publication Language: English

Filing Language: English

Fulltext Word Count: 8060

International Patent Class (v7): * G06F-019/00*

Fulltext Availability:

Detailed Description

Detailed Description

... 204); patient alert for anticoagulation (step 230); and patient alert for rapid and prolonged ventricular *rate* (step 240). Depending on the *detected* condition, a different path is followed by the IMD patient in administering therapy with the...

22/ 3,K/ 11 (Item 8 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00751320 ** Image available**

**IMPLANTABLE MEDICAL DEVICE FOR TRACKING PATIENT CARDIAC STATUS
DISPOSITIF MEDICAL IMPLANTABLE DESTINE AU SUIVI DE L'ETAT CARDIAQUE
D'UN PATIENT**

Patent Applicant/Assignee:

MEDTRONIC INC, 7000 Central Avenue Northeast, Minneapolis, MN 55432, US,
US (Residence), US (Nationality)

Inventor(s):

KIEVAL Robert S, 1445 Oregon Avenue North, Golden Valley, MN 55427, US,
RIFF Kenneth M, 900 Old Crystal Bay Road, Wayzata, MN 55391, US,

Legal Representative:

DUTHLER Reed A (et al) (agent), Medtronic, Inc. MS 301, 7000 Central
Avenue N.E., Minneapolis, MN 55432, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200064336 A1 20001102 (WO 0064336)

Application: WO 2000US9194 20000407 (PCT/WO US0009194)

Priority Application: US 99301206 19990428

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

CA JP

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

Publication Language: English

Filing Language: English

Fulltext Word Count: 9729

Main International Patent Class (v7): * A61B-005/00*

International Patent Class (v7): * A61B-005/0245* ...

Fulltext Availability:

Detailed Description

Claims

English Abstract

An implantable *medical* *device* determines activity levels and Heart *Rate* and from a combination of these produces a value for a heart rate activity coefficient...

...implanted device to a medical communications system for alarm purposes, titrating drugs/therapies or other *monitoring* tasks. Further, substitutes for heart *rate* measurements and activity measurements are described which can be used to augment or substitute for...

Detailed Description

... medical devices for enabling enhanced medical monitoring of patients, most particularly for use with heart *rate* together with activity *sensing*, and has application to the field of monitoring patients generally and particularly those with conditions...

< removed unnecessary information >

22/ 3,K/ 14 (Item 2 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0013014874

WPI ACC NO: 2003-093201/200308

Related WPI Acc No: 2003-030171

XRAM Acc No: C2003-023446

XRPX Acc No: N2003-073845

Administering therapeutic substance e.g. vasodilators or insulin, involves administering therapeutic substance from patch attached to skin in response to signal generated by implanted medical device

Patent Assignee: MEDTRONIC INC (MEDT)

Inventor: HALLER M; HERUTH K; HERUTH K T; HOOPER W; HOOPER W J; LAPORTE S; LENT M; LENT M S; OLSEN J; OLSEN J M; RIFF K; RIFF K M; HERUTH T; HOOPER J; LENT S; OLSEN M; RIFF M

Patent Family (8 patents, 99 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
WO 2002087681	A2	20021107	WO 2002US13792	A	20020430	200308 B
EP 1385570	A2	20040204	EP 2002734124	A	20020430	200410 E
			WO 2002US13792	A	20020430	
AU 2002305313	A1	20021111	AU 2002305313	A	20020430	200433 E

US 20050182389 A1 20050818 US 2001287521 P 20010430 200555 E
 US 2002137516 A 20020430
 AU 2002305313 A8 20051013 AU 2002305313 A 20020430 200611 E
 EP 1385570 B1 20060913 EP 2002734124 A 20020430 200661 E
 WO 2002US13792 A 20020430
 DE 60214698 E 20061026 DE 60214698 A 20020430 200672 E
 EP 2002734124 A 20020430
 WO 2002US13792 A 20020430
 DE 60214698 T2 20070913 DE 60214698 A 20020430 200761 E
 EP 2002734124 A 20020430
 WO 2002US13792 A 20020430

Priority Applications (no., kind, date): US 2001287521 P 20010430; US
 2002137516 A 20020430

Patent Details

Number Kind Lan Pg Dwg Filing Notes

WO 2002087681 A2 EN 72 27

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BY
 BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID
 IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ
 NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN
 YU ZA ZM ZW

Regional Designated States,Original: AT BE CH CY DE DK EA ES FI FR GB GH
 GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TR TZ UG ZM ZW

EP 1385570 A2 EN PCT Application WO 2002US13792

Based on OPI patent WO 2002087681

< removed unnecessary information >

Alerting Abstract ...device and insulin and glucagons as (A1) and to a
 patient receiving opioids with respiration *rate* *sensing* device and
 morphine/naloxone, fentanyl/naloxone, sufentanil/naloxone or
 hydromorphone/naloxone as (A1), and for administering an antiarrhythmic
 drug to a patient with an implanted heart *rate* *sensing* device...

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/00* ...

* A61B-0005/00* ...

Original Publication Data by Authority

Argentina

22/ 3,K/ 16 (Item 4 from file: 350)

DIALOG(R)File 350:Derwent WPIX
(c) 2009 Thomson Reuters. All rts. reserv.

0012469195 - Drawing available
WPI ACC NO: 2002-415546/200244
Related WPI Acc No: 2002-371793
XRPX Acc No: N2002-326900

Medical device system implemented network scheme for remote patient management of chronic diseases using web site and push alert notification of alert level physiological data

Patent Assignee: LINDEN G J (LIND-I); MEDTRONIC INC (MEDT); RIFF K M (RIFF-I); SMITH K R (SMIT-I)

Inventor: LINDEN G; LINDEN G J; RIFF K M; SMITH K R

Patent Family (5 patents, 23 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
WO 2002017777	A2	20020307	WO 2001US27030	A	20010829	200244 B
US 20020082480	A1	20020627	US 2000228645	P	20000829	200245 E
			US 2000228674	P	20000829	
			US 2000228685	P	20000829	
			US 2000228686	P	20000829	
			US 2000228696	P	20000829	
			US 2000228697	P	20000829	
			US 2000228698	P	20000829	
			US 2000228699	P	20000829	
			US 2000228961	P	20000829	
			US 2001943193	A	20010829	
EP 1367936	A2	20031210	EP 2001966415	A	20010829	200382 E
			WO 2001US27030	A	20010829	
JP 2004526466	W	20040902	WO 2001US27030	A	20010829	200457 E
			JP 2002522758	A	20010829	
US 20050021370	A1	20050127	US 2000228645	P	20000829	200509 E
			US 2000228674	P	20000829	
			US 2000228685	P	20000829	
			US 2000228686	P	20000829	
			US 2000228696	P	20000829	
			US 2000228697	P	20000829	
			US 2000228698	P	20000829	
			US 2000228699	P	20000829	
			US 2000228961	P	20000829	
			US 2001943193	A	20010829	
			US 2004828545	A	20040420	

Priority Applications (no., kind, date): US 2000228961 P 20000829; US 2000228699 P 20000829; US 2000228698 P 20000829; US 2000228697 P 20000829; US 2000228696 P 20000829; US 2000228686 P 20000829; US 2000228685 P 20000829; US 2000228674 P 20000829; US 2000228645 P 20000829; US 2001935019 A 20010822; US 2001943193 A 20010829; US

2004828545 A 20040420

Patent Details

Number Kind Lan Pg Dwg Filing Notes

WO 2002017777 A2 EN 60 8

National Designated States,Original: CA JP

Regional Designated States,Original: AT BE CH CY DE DK ES FI FR GB GR IE
IT LU MC NL PT SE TR

US 20020082480 A1 EN Related to Provisional US 2000228645

Related to Provisional US 2000228674

Related to Provisional US 2000228685

Related to Provisional US 2000228686

Related to Provisional US 2000228696

Related to Provisional US 2000228697

Related to Provisional US 2000228698

Related to Provisional US 2000228699

Related to Provisional US 2000228961

EP 1367936 A2 EN PCT Application WO 2001US27030

Based on OPI patent WO 2002017777

Regional Designated States,Original: AT BE CH CY DE DK ES FI FR GB GR IE
IT LI LU MC NL PT SE TR

JP 2004526466 W JA 101 PCT Application WO 2001US27030

Based on OPI patent WO 2002017777

US 20050021370 A1 EN Related to Provisional US 2000228645

Related to Provisional US 2000228674

Related to Provisional US 2000228685

Related to Provisional US 2000228686

Related to Provisional US 2000228696

Related to Provisional US 2000228697

Related to Provisional US 2000228698

Related to Provisional US 2000228699

Related to Provisional US 2000228961

Continuation of application US

2001943193

Class Codes

International Classification (Main): * A61B-005/00* ...

...* G06F-017/60*

Original Publication Data by Authority

Argentina

Assignee name & address:

Claims:

...originated signals requesting access to representations of said first
data inputs from said database; and* monitoring* data packages to determine
revenue for the service.

...originated signals requesting access to representations of said first data inputs from said database; and* monitoring* data packages to determine *revenue* for the service.

22/ 3,K/ 17 (Item 5 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0010409231 - Drawing available

WPI ACC NO: 2001-007045/200101

XRAM Acc No: C2001-001713

XRPX Acc No: N2001-005066

Implantable * medical* * device* for * monitoring* patient activity and heart * rate* conditions includes activity * sensor* , heart * rate* circuit and timing circuit

Patent Assignee: MEDTRONIC INC (MEDT)

Inventor: KIEVAL R S; RIFF K M

Patent Family (3 patents, 21 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
WO 2000064336	A1	20001102	WO 2000US9194	A	20000407	200101 B
US 6190324	B1	20010220	US 1999301206	A	19990428	200112 E
US 6529771	B1	20030304	US 1999301206	A	19990428	200320 E
			US 2000723004	A	20001127	

Priority Applications (no., kind, date): US 1999301206 A 19990428; US 2000723004 A 20001127

Patent Details

Number Kind Lan Pg Dwg Filing Notes

WO 2000064336 A1 EN 41 7

National Designated States,Original: CA JP

Regional Designated States,Original: AT BE CH CY DE DK ES FI FR GB GR IE
IT LU MC NL PT SE

US 6529771 B1 EN Division of application US 1999301206

Division of patent US 6190324

Implantable * medical* * device* for * monitoring* patient activity and heart * rate* conditions includes activity * sensor* , heart * rate* circuit and timing circuit

Alerting Abstract ...USE - Used for * monitoring* patient activity tied to heart * rate* , especially for those patients with congestive heart Failure (CHF...

...62 Heart *rate* *sensor*

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/024* ...

... * A61B-0005/22*

* A61B-0005/024* ...

... * A61B-0005/22*

Original Publication Data by Authority

Argentina

Assignee name & address:

Original Abstracts:

An implantable *medical* *device* determines activity levels and Heart *Rate* and from a combination of these produces a value for a heart rate activity coefficient...

...implanted device to a medical communications system for alarm purposes, titrating drugs/therapies or other *monitoring* tasks. Further, substitutes for heart *rate* measurements and activity measurements are described which can be used to augment or substitute for...

...An implantable *medical* *device* determines activity *levels* *and* Heart *Rate* and from a *combination* of these produces a value for a heart rate activity coefficient (HRAC). This value has...

...implanted device to a medical communications system for alarm purposes, titrating drugs/therapies or other *monitoring* tasks. Further, substitutes *for* heart *rate* measurements and activity *measurements* are described which can be used to augment or substitute for heart rate measurements and...

...An implantable *medical* *device* determines activity levels and Heart *Rate* and *from* *a* combination of these produces a *value* for a heart rate activity coefficient (HRAC). This value has significant diagnostic and patient tracking...

...implanted device to a medical communications system for alarm purposes, titrating drugs/therapies or other *monitoring* tasks. Further, substitutes for heart *rate* measurements and *activity* measurements are described which can *be* used to augment or substitute for heart rate measurements and activity measurements. These substitutes should...

Claims:

An implantable *medical* *device* *for* *determining* a Heart *Rate*

Activity *Coefficient* (HRAC) comprising: a sealed housing adapted for chronic implantation into a living body, said housing...

22/ 3,K/ 18 (Item 6 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0008888553 - Drawing available

WPI ACC NO: 1998-437200/199837

XRPX Acc No: N1998-340622

Implantable edema *monitoring* device, measuring impedance respiratory *rate* - generates respiratory rate value based on evaluation of impedance measurements over time, and generates edema level

Patent Assignee: MEDTRONIC INC (MEDT)

Inventor: RIFF K M; RIFF M

Patent Family (9 patents, 21 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
WO 1998033553	A1	19980806	WO 1998US40	A	19980108	199837 B
AU 199860155	A	19980825	AU 199860155	A	19980108	199903 E
US 5876353	A	19990302	US 1997792204	A	19970131	199916 E
EP 1011802	A1	20000628	EP 1998903360	A	19980108	200035 E
			WO 1998US40	A	19980108	
AU 732166	B	20010412	AU 199860155	A	19980108	200128 E
CA 2278193	C	20031021	CA 2278193	A	19980108	200373 E
			WO 1998US40	A	19980108	
EP 1011802	B1	20040609	EP 1998903360	A	19980108	200438 E
			WO 1998US40	A	19980108	
DE 69824424	E	20040715	DE 69824424	A	19980108	200446 E
			EP 1998903360	A	19980108	
			WO 1998US40	A	19980108	
DE 69824424	T2	20050525	DE 69824424	A	19980108	200537 E
			EP 1998903360	A	19980108	
			WO 1998US40	A	19980108	

Priority Applications (no., kind, date): US 1997792204 A 19970131

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
--------	------	-----	----	-----	--------	-------

WO 1998033553	A1	EN	46	11		
---------------	----	----	----	----	--	--

National Designated States, Original: AU CA JP

Regional Designated States, Original: AT BE CH DE DK ES FI FR GB GR IE IT
LU MC NL PT SE

AU 199860155	A	EN			Based on OPI patent	WO 1998033553
--------------	---	----	--	--	---------------------	---------------

EP 1011802	A1	EN			PCT Application	WO 1998US40
------------	----	----	--	--	-----------------	-------------

Based on OPI patent WO 1998033553

Regional Designated States, Original: CH DE FR LI NL SE

CA 2278193	C	EN	Based on OPI patent WO 1998033553 PCT Application WO 1998US40
EP 1011802	B1	EN	Based on OPI patent WO 1998033553 PCT Application WO 1998US40
Regional Designated States,Original:			Based on OPI patent WO 1998033553 CH DE FR LI NL SE
DE 69824424	E	DE	Application EP 1998903360 PCT Application WO 1998US40
			Based on OPI patent EP 1011802 Based on OPI patent WO 1998033553
DE 69824424	T2	DE	Application EP 1998903360 PCT Application WO 1998US40
			Based on OPI patent EP 1011802 Based on OPI patent WO 1998033553

4/14/2009

activated. Recording of Long Term Average and Short Term...

...An impedance *monitor* for discerning edema through evaluation of respiratory *rate*. *Preferred* embodiment includes edema *monitor* and trigger to *initiate* diagnostic reporting or corrective *action* when activated. Recording of Long Term Average and Short Term Average values for secondary edema...

...An impedance *monitor* for discerning edema through evaluation of respiratory *rate*. Preferred embodiment includes edema *monitor* *and* trigger to initiate diagnostic reporting or corrective *action* when activated. Recording of *Long* Term Average and Short Term Average values for secondary edema measure based on DC signal...

Claims:

...114, 115) for monitoring said impedance measurements, and for generating a value representative of respiratory *rate* based on evaluation of said impedance measurements *over* time, edema value generator circuitry means (118) for *monitoring* changes in *said* respiratory *rate* value, so as to generate an edema level value indicative of the amount and presence of *edema* in said living body *and* for tracking its progress over a period of days based solely on said changes in...

...circuitry means for monitoring said impedance measurements, and for generating a value representative of respiratory *rate* *based* on evaluation of said impedance measurements *over* time, edema value generator circuitry means for *monitoring* changes in said respiratory *rate* value, so as to generate an edema level value indicative of a measured value of

22/ 3,K/ 19 (Item 7 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0005642509 - Drawing available

WPI ACC NO: 1991-252378/199134

XRPX Acc No: N1991-192359

Intravascular pressure posture detector - uses two pressure sensors chronically implanted to determine pressure differences for regulation of pace maker

Patent Assignee: MEDTRONIC INC (MEDT)

Inventor: RIFF K M

Patent Family (8 patents, 16 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
WO 1991011138	A	19910808	WO 1991US416	A	19910118	199134 B
US 5040536	A	19910820	US 1990473265	A	19900131	199136 E
AU 199172539	A	19910821				199147 E
EP 513182	A1	19921119	EP 1991904200	A	19910118	199247 E
			WO 1991US416	A	19910118	

JP 5505322 W 19930812 JP 1991504418 A 19910118 199337 E
 WO 1991US416 A 19910118
 EP 513182 B1 19940330 EP 1991904200 A 19910118 199413 E
 WO 1991US416 A 19910118
 AU 646841 B 19940310 AU 199172539 A 19910118 199415 E
 DE 69101547 E 19940505 DE 69101547 A 19910118 199419 E
 EP 1991904200 A 19910118
 WO 1991US416 A 19910118

Priority Applications (no., kind, date): US 1990473265 A 19900131

Patent Details

Number Kind Lan Pg Dwg Filing Notes
 WO 1991011138 A EN
 National Designated States,Original: AU CA JP
 Regional Designated States,Original: AT BE CH DE DK ES FR GB GR IT LU NL
 SE
 EP 513182 A1 EN 20 6 PCT Application WO 1991US416
 Based on OPI patent WO 1991011138
 Regional Designated States,Original: DE FR GB IT NL SE
 JP 5505322 W JA PCT Application WO 1991US416
 Based on OPI patent WO 1991011138
 EP 513182 B1 EN 12 6 PCT Application WO 1991US416
 Based on OPI patent WO 1991011138
 Regional Designated States,Original: DE FR GB IT NL SE
 AU 646841 B EN Previously issued patent AU 9172539
 Based on OPI patent WO 1991011138
 DE 69101547 E DE Application EP 1991904200
 PCT Application WO 1991US416
 Based on OPI patent EP 513182
 Based on OPI patent WO 1991011138

Class Codes

International Classification (Main): * A61B-005/022* ...

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/0215* ...

...* A61B-0005/022* ...

...* A61B-0005/103*

* A61B-0005/0215* ...

...* A61B-0005/022* ...

...* A61B-0005/103*

Original Publication Data by Authority

Argentina

Assignee name & address:

Claims:

...rate in response to sensed changes in said rate control parameter,
characterized in that: said *rate* control means further comprises pressure
sensing means (32, 36, 102, 104, 106) adapted for measuring a pressure
differential between first and...

III. Text Search Results from Dialog

A. Patent Files, Abstract

? show files;ds

File 347:JAPIO Dec 1976-2008/Oct(Updated 090220)

(c) 2009 JPO & JAPIO

File 350:Derwent WPIX 1963-2009/UD= 200919

(c) 2009 Thomson Reuters

File 371:French Patents 1961-2002/BOPI 200209

(c) 2002 INPI. All rts. reserv.

Set	Items	Description
S1	811902	REALTIME OR (REAL OR ACTUAL)() TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S2	4149525	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S3	1716462	IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?)(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
S4	2504835	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S5	1447984	USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
S6	49079	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S7	8636883	NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR INFO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
S8	447	S1(10N)(S2(5N)S3)
S9	39861	S4(5N)S5
S10	5751	S6(5N)S7
S11	6	S9(10N)S10
S12	0	S8(S)S11
S13	7920449	ACCESS OR LOOK??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV??? OR L-

EVEL

S14	1088152	S7(5N)S13
S15	1	S8(S)S9(S)S14
S16	22295	S2 AND (S1 OR S3) AND S4 AND S7 AND S13
S17	44	S8(S)S16
S18	4	S9(S)S17
S19	9	S14(S)S17
S20	11	S18 OR S19
S21	20	S17 AND IC= (G06F OR G06Q OR A61B)
S22	20	IDPAT (sorted in duplicate/non-duplicate order)
S23	20	IDPAT (primary/non-duplicate records only)

23/ AN,AZ,TI/ 1 (Item 1 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0018762665

Diagnostic method for detecting change in urinary parameter indicating body malfunction involves monitoring parameter to detect changes in parameter to reflect fluid state, electrolyte balance, kidney state, or kidney or organ perfusion

Original Titles:

DIAGNOSTIC METHODS AND SYSTEMS BASED ON URINE ANALYSIS
 PROCEDES ET SYSTEMES DE DIAGNOSTIC A PARTIR D'UNE ANALYSE D'URINE
 Local Applications (No Type Date): WO 2008IL1153 A 20080824
 Priority Applications (no., kind, date): IL 185477 A 20070823; IL 193591
 A 20080821

23/ AN,AZ,TI/ 2 (Item 2 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0018644516

Prompt instrument for vehicle, has monitoring host equipped at steering room of vehicle, which is connected to camera in vehicle in wireless way and is connected to micro alcohol consistency detector in wireless way

Original Titles:

A prompt instrument for the safe driving of the vehicle
 Local Applications (No Type Date): CN 200820078464 U 20080108
 Priority Applications (no., kind, date): CN 200820078464 U 20080108

23/ AN,AZ,TI/ 3 (Item 3 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0018346013

Embedded health index intelligent monitor for patient, has sensor data collection module divided into sensor and data collection, and main-board provided with wireless radio-wave frequency processing chip compatible Zigbee protocol

Original Titles:

Embedded health index intelligent monitor based on wireless sensor network

Local Applications (No Type Date): CN 200710038119 A 20070315

Priority Applications (no., kind, date): CN 200710038119 A 20070315

23/ AN,AZ,TI/ 4 (Item 4 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0017909600

Dynamic voltage scaling scheduling method for e.g. mobile phone, involves reducing working voltage required for executing task, and adding task in delayed task set when task not belonging to delayed task set exists

Original Titles:

Dynamic voltage scaling scheduling mechanism for sporadic, hard real-time tasks with resource sharing

Local Applications (No Type Date): US 2007979780 A 20071108

Priority Applications (no., kind, date): TW 2006147265 A 20061215

23/ AN,AZ,TI/ 5 (Item 5 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0017257926

Artificial intelligence shoe for use during exercise, has display unit that displays calorie consumption which is calculated based on walking speed and body fat of user measured using sensor and measurement unit respectively

Original Titles:

Artificial Intelligence Shoe Mounting a Controller and Method for Measuring Quantity of Motion

MONTAGE D'UN CONTROLEUR SUR UNE CHAUSSURE A INTELLIGENCE ARTIFICIELLE, ET PROCEDE DE MESURE D'UNE QUANTITE DE MOUVEMENT

Local Applications (No Type Date): WO 2006KR3829 A 20060926; US

2007994102 A 20071227; WO 2006KR3829 A 20060926; KR 200649025 A 20060530

Priority Applications (no., kind, date): KR 200649025 A 20060530

23/ AN,AZ,TI / 6 (Item 6 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0017251995

Fluidic device to detect analyte in body fluid for e.g. determining efficacy of drug treatment, comprises sample collection unit and assay assembly with reaction reagent, and sample unit delivers predetermined sample portion to the assembly

Original Titles:

Systems and Methods of Sample Processing and Fluid Control in a Fluidic System
SYSTEMES ET PROCEDES DE TRAITEMENT D'ECHANTILLONS ET CONTROLE DE FLUIDES
DANS UN SYSTEME FLUIDIQUE

Local Applications (No Type Date): US 2006388415 A 20060324; US
2006388723 A 20060324; US 2006388823 A 20060324; US 2006388824 A
20060324; US 2006389409 A 20060324; US 2006389410 A 20060324; US
2006554509 A 20061030; WO 2006US42563 A 20061031

Priority Applications (no., kind, date): US 2006388415 A 20060324; US
2006388723 A 20060324; US 2006388823 A 20060324; US 2006388824 A
20060324; US 2006389409 A 20060324; US 2006389410 A 20060324; US
2006554509 A 20061030

23/ AN,AZ,TI / 7 (Item 7 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0017237428

Cardiac arrhythmia therapy providing method for patient, involves optically measuring physiological concentration of ion e.g. potassium ion, in bodily fluid e.g. blood, of patient with implanted chemical sensor

Original Titles:

Implantable Medical Device with Chemical Sensor and Related Methods

Local Applications (No Type Date): US 2006383926 A 20060517

Priority Applications (no., kind, date): US 2006383926 A 20060517

23/ AN,AZ,TI / 8 (Item 8 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0017213686

Cardiac stroke volume determining method for use in a heart patient includes positioning wireless sensor in the patient's pulmonary artery to determine changes in pressure over time

Original Titles:

IMPLANTIERBARER DRAHTLOSER SENSOR ZUR IN-VIVO-DRUCKMESSUNG UND ZUR
KONTINUIERLICHEN ERGEBNISBESTIMMUNG
CAPTEUR SANS FIL IMPLANTABLE POUR RELEVES DE PRESSION IN VIVO ET
DETERMINATION DE DEBIT CONTINU

* Implantable* wireless * sensor* for in vivo pressure measurement and
* continuous* output determination

Local Applications (No Type Date): WO 2007US10927 A 20070504; US
2006798179 P 20060504; US 2007800442 A 20070504; EP 2007776789 A
20070504; WO 2007US10927 A 20070504

Priority Applications (no., kind, date): US 2006798179 P 20060504; US
2007800442 A 20070504

23/ AN,AZ,TI/ 9 (Item 9 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0016354817

**Formation of analyte sensor for measuring analyte in host comprises
providing membrane system with resistance domain formed by applying
solution comprising hydrophilic-hydrophobic macromolecule(s) insolvent
system to electroactive surface**

Original Titles:

MEMBRANEN FUR EINEN ANALYTSSENSOR
MEMBRANES FOR AN ANALYTE SENSOR
MEMBRANES POUR DETECTEUR D'ANALYTE

Cellulosic-based resistance domain for an analyte sensor

Local Applications (No Type Date): US 2005678373 P 20050505; US
2006413356 A 20060428; WO 2007US1158 A 20070117; WO 2007US1158 A
20070117; EP 2007718297 A 20070117; WO 2007US1158 A 20070117

Priority Applications (no., kind, date): US 2005678373 P 20050505; US
2006335879 A 20060118; US 2006413356 A 20060428; US 2006413238 A
20060428; US 2006413242 A 20060428

23/ AN,AZ,TI/ 10 (Item 10 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0015046959

**Treatment of body from, e.g. obesity, comprises detecting electrical
signals, processing detected electrical signals, controlling device,
generating second control signal, and providing information relating to
delivery of agent to body**

Original Titles:

MITTELS BIOLOGISCHER ELEKTRISCHER SIGNALE GESTEUERTE
WIRKSTOFFABGABESYSTEME
AGENT DELIVERY SYSTEMS UNDER CONTROL OF BIOLOGICAL ELECTRICAL SIGNALS
SYSTEMES D'ADMINISTRATION D'AGENT SOUS LA COMMANDE DE SIGNAUX
ELECTRIQUES BIOLOGIQUES

Agent delivery systems and related methods under control of biological
electrical signals

Local Applications (No Type Date): US 2003717924 A 20031121; WO
2004US38316 A 20041117; EP 2004819538 A 20041117; WO 2004US38316 A
20041117

Priority Applications (no., kind, date): US 2003717924 A 20031121

23/ AN,AZ,TI/ 11 (Item 11 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0014973548

**Electrogram signals transmitting method for use in implantable medical
device, involves receiving electrogram signals from implantable medical
device, and transmitting frequency modulated electrogram signals onto
telephone line**

Original Titles:

SYSTEM UND VERFAHREN FUR DIE ECHTZEIT-FERNUBERWACHUNG VON
IMPLANTIERBAREN MEDIZINPRODUKTEN
SYSTEME ET METHODE POUR SURVEILLANCE A DISTANCE EN TEMPS REEL DE
DISPOSITIFS MEDICAUX IMPLANTABLES

System and method for *real*-time remote *monitoring* of *implantable*
medical devices

Local Applications (No Type Date): US 2003672228 A 20030926; WO
2004US31520 A 20040927; EP 2004789055 A 20040927; WO 2004US31520 A
20040927; US 2003672228 A 20030926

Priority Applications (no., kind, date): US 2003672228 A 20030926

23/ AN,AZ,TI/ 12 (Item 12 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0014946288

**Imaging system for detection of embedded object in specimen has computer
system which receives images from detector systems in conveyor within
imaging zone and produces image slices through image combination as
specimen representations**

Original Titles:

System for automated detection of embedded objects

Local Applications (No Type Date): US 2003500594 P 20030905; US

2004935476 A 20040907; US 2004935476 A 20040907
Priority Applications (no., kind, date): US 2003500594 P 20030905; US
2004935476 A 20040907

23/ AN,AZ,TI/ 13 (Item 13 from file: 350)
DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0012714365

**Patient organ function monitoring system, has probe whose tip is *inserted*
into organ for *detecting* changes in physiological parameter indicating
onset of shock in *real* *time***

Original Titles:

Minimally invasive system for assessment of organ function
SYSTEME AVEC EFFRACTION MINIMALE POUVANT EVALUER LA FONCTION D'UN ORGANE
Local Applications (No Type Date): US 2000736603 A 20001213; WO
2001US46293 A 20011205; AU 200236559 A 20011205; US 2000736603 A
20001213; AU 2002236559 A 20011205
Priority Applications (no., kind, date): US 2000736603 A 20001213

23/ AN,AZ,TI/ 14 (Item 14 from file: 350)
DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0012446431

**Microprocessor based implantable medical device information interrogation
system, sends audio drive signal retrieved from memory to radio frequency
transmitter, to broadcast modulated radio frequency signal**

Original Titles:

Interrogation of an implantable medical device using broadcast audible
sound communication.
Local Applications (No Type Date): US 199869284 A 19980429; US 1999282594
A 19990331; US 2000491205 A 20000125; CN 2001103091 A 20010131
Priority Applications (no., kind, date): US 199869284 A 19980429; US
1999282594 A 19990331; US 2000491205 A 20000125

23/ AN,AZ,TI/ 15 (Item 15 from file: 350)
DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0011223692

**Device location tracking method for medical use, involves acquiring nuclear
magnetic resonance tracking signal to calculate and indicate updated device**

location

Original Titles:

High speed tracking of interventional devices using an MRI system.

Local Applications (No Type Date): US 1998199405 A 19981125

Priority Applications (no., kind, date): US 1998199405 A 19981125

23/ AN,AZ,TI/ 16 (Item 16 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0011145261

Heart failure data management system, has implantable hemodynamic monitor monitoring dynamic conditions of patient and providing pressure data to physician via programmer and through Internet

Original Titles:

HERZFEHLERUBERWACHUNGSSYSTEM MIT KURZER ZUSAMMENFASSUNGSDARSTELLUNG FUR PATIENTENVERWALTUNGSSYSTEME

INSUFFISANCE CARDIAQUE: RECAPITULATIF INSTANTANE DE SURVEILLANCE POUR SYSTEMES DE GESTION DES PATIENTS

Schnellubersicht einer Anzeige von Herzversagen fur Patientenverwaltungssysteme

Heart failure monitor quick look summary for patient management systems

Resume immediat d'un moniteur d'insuffisance cardiaque pour systemes de gestion de patient

Local Applications (No Type Date): US 2000190272 P 20000317; US

2001809915 A 20010316; WO 2001US8570 A 20010316; EP 2001918792 A

20010316; WO 2001US8570 A 20010316; US 2001809915 A 20010316; JP

2001568306 A 20010316; WO 2001US8570 A 20010316; EP 2001918792 A

20010316; EP 20084810 A 20010316; EP 2001918792 A 20010316; EP

20084811 A 20010316

Priority Applications (no., kind, date): US 2000190272 P 20000317; US

2001809915 A 20010316

23/ AN,AZ,TI/ 17 (Item 17 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0010865062

Feedback system and a method for providing normalized voice feedback from an individual patient in an automated collection and analysis patient care system

Original Titles:

System und Verfahren zur Bereitstellung von normalisierter

Stimmenruckkopplung eines individuellen Patienten in einer automatisierten

Sammlung und Analyse-Patientenpflegesystem

System and method for providing normalized voice feedback from an individual patient in an automated collection and analysis patient care system

Système et méthode de rétroaction vocal normalisée d'un patient individuel

dans un système de gestion de soins aux patients avec collection et analyse automatique

System and method for analyzing normalized patient voice feedback an automated collection and analysis patient care system

System and method for providing feedback to an individual patient for automated remote patient care

Product and method for analyzing normalized patient voice feedback in an automated collection and analysis patient care system

System and method for providing feedback to an individual patient

System and method for processing voice feedback in conjunction with heart failure assessment

System and method for providing normalized voice feedback from an individual patient in an automated collection and analysis patient care system.

System and method for providing patient status feedback via an automated patient care system with speech-based wellness monitoring.

System and method for analyzing normalized patient voice feedback in an automated collection and analysis patient care system

Local Applications (No Type Date): EP 2000202603 A 20000720; AU 200048747

A 20000720; CA 2314513 A 20000725; US 1999324894 A 19990603; US

1999361777 A 19990726; US 1999324894 A 19990603; US 1999361777 A

19990726; US 1999476600 A 19991231; US 1999324894 A 19990603; US

< removed unnecessary information >

Priority Applications (no., kind, date): US 1999324894 A 19990603; US

1999361777 A 19990726; US 1999361332 A 19990726; US 1999476602 A

19991231; US 1999476600 A 19991231; EP 2000202603 A 20000720; US

2000686712 A 20001010; US 2001860979 A 20010518; US 2002251473 A

20020920; US 2003646037 A 20030822; US 2003646084 A 20030822; US

2003646679 A 20030822; US 2005104969 A 20050412; US 2005146558 A

20050607; US 2007894326 A 20070820

23/ AN,AZ,TI/ 18 (Item 18 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0010732183

System for determining reference baseline of individual patient status for use in automated collection and analysis patient care system for determining whether patient is trending into area of potential medical concern

Original Titles:

Automated system and method for establishing a patient status reference baseline
System and method for determining a reference baseline record for use in
automated patient care
System and method for patient monitoring using a reference baseline for use
in automated patient care
System and method for determining a reference baseline of patient information
for automated remote patient care
System and method for determining a reference baseline of regularly
retrived patient information for automated remote patient care
System and method for determining a reference baseline of patient information
System and method for determining a reference baseline record

< removed unnecessary information >

Local Applications (No Type Date): CA 2314517 A 20000725; US 1999361332
A 19990726; US 1999361332 A 19990726; US 2001789416 A 20010220; US
1999361332 A 19990726; US 2000686713 A 20001010; US 1999361332 A
19990726; US 1999476601 A 19991231; US 1999361332 A 19990726; US

< removed unnecessary information >

Priority Applications (no., kind, date): US 1999361332 A 19990726; US
1999476601 A 19991231; US 2000686713 A 20001010; US 2001789416 A
20010220; US 2001860987 A 20010518; US 2001929243 A 20010813; US
2002330608 A 20021227; US 2003645980 A 20030822; US 2003646244 A
20030822; US 200584403 A 20050318; US 2005102522 A 20050408; US
2007880754 A 20070723; US 2007894514 A 20070820

23/ AN,AZ,TI/ 19 (Item 19 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0010463968

**Automated collection and analysis system for retrieved patient information
for remote patient care, in which regularly retrieved patient information
is automatically collected and analyzed**

Original Titles:

System und Verfahren zur automatischen Sammlung und Analyse von periodisch
erfassten Patientendaten zur Fernpatientenpflege
System and method for automated collection and analysis of regularly
retrieved patient information for remote patient care
Systeme et methode de collecte et d'analyse automatique des informations
des patients obtenues regulierement pour la gestion de soins aux patients a distance
System und Verfahren zur automatischen Sammlung und Analyse von periodisch
erfassten Patientendaten zur Fernpatientenpflege

System and method for automated collection and analysis of regularly retrieved patient information for remote patient care

< removed unnecessary information >

Local Applications (No Type Date): EP 2000201939 A 20000531; AU 200036385 A 20000524; CA 2309409 A 20000524; AU 200048746 A 20000720; US 1999324894 A 19990603; US 2001789456 A 20010220; US 1999324894 A 19990603; US 1999476602 A 19991231; US 1999324894 A 19990603; US

< removed unnecessary information >

Priority Applications (no., kind, date): US 1999324894 A 19990603; US 1999361332 A 19990726; US 1999361777 A 19990726; US 1999476602 A 19991231; US 1999476600 A 19991231; EP 2000201939 A 20000531; US 2001789456 A 20010220; US 2001860977 A 20010518; US 2001861373 A 20010518; US 2001948307 A 20010906; US 2001948310 A 20010906; US 2002101007 A 20020318; US 2003422495 A 20030423; US 2003646035 A 20030822; US 2003646083 A 20030822; US 2003646104 A 20030822; US 200549906 A 20050204; US 2006480634 A 20060630; US 2006540251 A 20060929; US 2007894281 A 20070820; US 2007894312 A 20070820

23/ AN,AZ,TI/ 20 (Item 20 from file: 350)

DIALOG(R)File 350:(c) 2009 Thomson Reuters. All rts. reserv.

0006685722

Optical imaging of interior of patient body for surgery - using camera and monitor with spatial data field assigned to body located in certain position and with continuous detection of spatial position of camera

Original Titles:

VERFAHREN ZUR DARSTELLUNG DES INNEREN VON KORPERN

PROCESS FOR IMAGING THE INTERIOR OF BODIES

PROCEDE DE VISUALISATION DE L'INTERIEUR DE CORPS

Apparatus and method for registration of points of a data field with respective points of an optical image.

PROCESS FOR IMAGING THE INTERIOR OF BODIES

Local Applications (No Type Date): WO 1993AT126 A 19930802; AT 19921557 A 19920731; EP 1993915514 A 19930802; WO 1993AT126 A 19930802; AT 19921557 A 19920731; WO 1993AT126 A 19930802; JP 1994504812 A 19930802; EP 1993915514 A 19930802; WO 1993AT126 A 19930802; DE 59304212 A 19930802; EP 1993915514 A 19930802; WO 1993AT126 A 19930802; WO 1993AT126 A 19930802; US 1995379616 A 19950131; CA 2140786 A 19930802; WO 1993AT126 A 19930802

Priority Applications (no., kind, date): AT 19921557 A 19920731

23/ 3,K/ 2 (Item 2 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0018644516 - Drawing available

WPI ACC NO: 2009-B34574/200909

Prompt instrument for vehicle, has monitoring host equipped at steering room of vehicle, which is connected to camera in vehicle in wireless way and is connected to micro alcohol consistency detector in wireless way

Patent Assignee: XU J (XUJJ-I)

Inventor: QIU Y; WANG C; WU H; XU J

Patent Family (1 patents, 1 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
CN 201142112	Y	20081029	CN 200820078464	U	20080108	200909 B

Priority Applications (no., kind, date): CN 200820078464 U 20080108

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
CN 201142112	Y	ZH	10	3		

Alerting Abstract ...facial expression of the driver, monitor the fatigue level of the driver by counting the *continuous* driving time, *detect* the driving state of the vehicle, *detect* the alcohol consistency *in* *body*, carry out the voice prompt, *record* the unsafe and illegal driving *information* of the driver, and collect the unsafe and illegal driving *records* via the wireless accessing technology, which is convenient for carrying out the safety education and...

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/18* ...

* A61B-0005/16* ...

Original Publication Data by Authority

Argentina

Assignee name & address:

Original Abstracts:

...facial expression of the driver, monitor the fatigue level of the driver by counting the *continuous* driving time, *detect* the driving state of the vehicle, *detect* the alcohol consistency *in* *body*, carry out the voice prompt, *record* the unsafe and illegal driving *information* of the driver, and collect the unsafe and illegal driving *records* via the wireless accessing technology, which is convenient for carrying out the

safety education and...

Claims:

23/ 3,K/ 3 (Item 3 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0018346013 - Drawing available

WPI ACC NO: 2008-M66349/200875

XRAM Acc No: C2008-393809

XRPX Acc No: N2008-930005

Embedded health index intelligent monitor for patient, has sensor data collection module divided into sensor and data collection, and main-board provided with wireless radio-wave frequency processing chip compatible Zigbee protocol

Patent Assignee: SHANGHAI YANXIANG INTELLIGENCE SCI & TEC (SHAN-N)

Inventor: WANG X; ZHENG Y

Patent Family (1 patents, 1 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
CN 101264008	A	20080917	CN 200710038119	A	20070315	200875 B

Priority Applications (no., kind, date): CN 200710038119 A 20070315

Patent Details

Number Kind Lan Pg Dwg Filing Notes

CN 101264008 A ZH 8 3

Alerting Abstract ...ADVANTAGE - The patient can communicate with the trainer or doctor about own condition in *real*-*time* in present health and treatment *system* by combining *embedded*, wireless *sensor* *network* and micro-*sensor* techniques. The *monitor* is closely contacted with the human body, so that the *monitor* is designed into microminiaturization, water/sweat-proofing, amenity, reliability and precision. The *monitor* can satisfy different requirements of different people in different cases...

...DESCRIPTION OF DRAWINGS - The drawing shows a front *view* of an *embedded* health index intelligent *monitor*.

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/00* ...

* A61B-0005/00* ...

Original Publication Data by Authority

Argentina

Assignee name & address:

Original Abstracts:

...member or patient cannot communicate with the trainer or doctor about their own condition in *real*-*time* in present health and treatment *system* by combining *embedded*, wireless *sensor* *network* and micro-*sensor* technology. The invention can be made into watch wore on the wrist or tied on...

Claims:

23/ 3,K/ 8 (Item 8 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0017213686 - Drawing available

WPI ACC NO: 2008-A34118/200802

XRAM Acc No: C2008-008030

XRPX Acc No: N2008-026390

Cardiac stroke volume determining method for use in a heart patient includes positioning wireless sensor in the patient's pulmonary artery to determine changes in pressure over time

Patent Assignee: CARDIOMEMS INC (CARD-N); STERN D R (STER-I)

Inventor: KROH J; MOORE E; RALPH S; STERN D; STERN D R; WHITE J

Patent Family (4 patents, 120 countries)

Patent

Application

Number	Kind	Date	Number	Kind	Date	Update
WO 2007130628	A2	20071115	WO 2007US10927	A	20070504	200802 B
US 20070282210	A1	20071206	US 2006798179	P	20060504	200802 E
			US 2007800442	A	20070504	
WO 2007130628	A3	20080103				200805 E
EP 2012658	A2	20090114	EP 2007776789	A	20070504	200907 E
			WO 2007US10927	A	20070504	

Priority Applications (no., kind, date): US 2006798179 P 20060504; US 2007800442 A 20070504

Patent Details

Number Kind Lan Pg Dwg Filing Notes

WO 2007130628 A2 EN 63 51

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BH BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM GT HN HR HU ID IL IN IS JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LY MA MD ME MG MK MN MW MX MY MZ NA NG NI NO NZ OM PG PH PL PT RO RS RU SC SD SE SG SK SL SM SV SY TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IS IT KE LS LT LU LV MC MT MW MZ NA NL OA PL PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

US 20070282210 A1 EN Related to Provisional US 2006798179
WO 2007130628 A3 EN
National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BH BR
BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM
GT HN HR HU ID IL IN IS JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LY
MA MD ME MG MK MN MW MX MY MZ NA NG NI NO NZ OM PG PH PL PT RO RS RU SC
SD SE SG SK SL SM SV SY TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW
Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES
FI FR GB GH GM GR HU IE IS IT KE LS LT LU LV MC MT MW MZ NA NL OA PL PT
RO SD SE SI SK SL SZ TR TZ UG ZM ZW
EP 2012658 A2 EN PCT Application WO 2007US10927
Based on OPI patent WO 2007130628
Regional Designated States,Original: AL AT BA BE BG CH CY CZ DE DK EE ES
FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL PL PT RO RS SE SI SK TR

Original Titles:

...* IMPLANTABLE* WIRELESS * SENSOR* FOR IN VIVO PRESSURE MEASUREMENT AND
* CONTINUOUS* OUTPUT DETERMINATION...

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/00* ...

...* A61B-0005/02* ...

...* A61B-0005/0215*

* A61B-0005/00* ...

...* A61B-0005/02* ...

...* A61B-0005/0215* ...

...* A61B-0005/00* ...

...* A61B-0005/0215*

Original Publication Data by Authority

Argentina

23/ 3,K/ 10 (Item 10 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0015046959 - Drawing available

WPI ACC NO: 2005-394977/200540

XRAM Acc No: C2005-122139

XRPX Acc No: N2005-320108

Treatment of body from, e.g. obesity, comprises detecting electrical signals, processing detected electrical signals, controlling device, generating second control signal, and providing information relating to delivery of agent to body

Patent Assignee: CYBERKINETICS INC (CYBE-N)

Inventor: DONOGHUE J P; FLAHERTY C J; FLAHERTY J C; FRIEHS G M; HATT B W;

SALEH M; SERRUYA M D; DONOGHUE J; FLAHERTY C; FRIEHS G; HATT B; SERRUYA M

Patent Family (3 patents, 107 countries)

Patent

Application

Number	Kind	Date	Number	Kind	Date	Update
US 20050113744	A1	20050526	US 2003717924	A	20031121	200540 B
WO 2005051167	A1	20050609	WO 2004US38316	A	20041117	200540 E
EP 1689467	A1	20060816	EP 2004819538	A	20041117	200654 E
			WO 2004US38316	A	20041117	

Priority Applications (no., kind, date): US 2003717924 A 20031121

Patent Details

Number Kind Lan Pg Dwg Filing Notes

US 20050113744 A1 EN 25 6

WO 2005051167 A1 EN

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BW
BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR
HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW
MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR
TT TZ UA UG US UZ VC VN YU ZA ZM ZW

Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES
FI FR GB GH GM GR HU IE IS IT KE LS LU MC MW MZ NA NL OA PL PT RO SD SE
SI SK SL SZ TR TZ UG ZM ZW

EP 1689467 A1 EN PCT Application WO 2004US38316

Based on OPI patent WO 2005051167

Regional Designated States,Original: AT BE BG CH CY CZ DE DK EE ES FI FR
GB GR HU IE IS IT LI LU MC NL PL PT RO SE SI SK TR

Technology Focus

...monitoring a parameter of the device and continuously generating second control signals based on the *continuous* *monitoring* of the parameter, implanting a *sensor* *in* the *body* proximate the part of the body where the *sensor* is for *detecting* the electrical signals, implanting a delivery unit *in* the *body* proximate to a second body part to which the agent is delivered, implanting a processor *in* the *body* and connecting the processor to the *sensor* and the delivery unit, and changing the values in the table. The delivery of the...

< removed unnecessary information >

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

...* G06F-0003/00*...

...* G06F-0003/00*

...* G06F-0003/00*...

...* G06F-0003/00*

Original Publication Data by Authority

Argentina

23/ 3,K/ 11 (Item 11 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0014973548 - Drawing available

WPI ACC NO: 2005-321381/200533

Related WPI Acc No: 2007-634518

XRPX Acc No: N2005-262811

Electrogram signals transmitting method for use in implantable medical device, involves receiving electrogram signals from implantable medical device, and transmitting frequency modulated electrogram signals onto telephone line

Patent Assignee: BERGELSON M (BERG-I); MEDTRONIC INC (MEDT); NAYDENOV N M (NAYD-I)

Inventor: BERGELSON M; NAYDENOV N M; NAYDENOV N

Patent Family (4 patents, 107 countries)

Patent

Application

Number	Kind	Date	Number	Kind	Date	Update
US 20050070968	A1	20050331	US 2003672228	A	20030926	200533 B
WO 2005030326	A2	20050407	WO 2004US31520	A	20040927	200533 E
EP 1684859	A2	20060802	EP 2004789055	A	20040927	200650 E
			WO 2004US31520	A	20040927	
US 7218967	B2	20070515	US 2003672228	A	20030926	200732 E

Priority Applications (no., kind, date): US 2003672228 A 20030926

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
--------	------	-----	----	-----	--------	-------

US 20050070968	A1	EN	17	9		
----------------	----	----	----	---	--	--

WO 2005030326	A2	EN				
---------------	----	----	--	--	--	--

National Designated States,Original: AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NA NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW

Regional Designated States,Original: AT BE BG BW CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IT KE LS LU MC MW MZ NA NL OA PL PT RO SD SE SI

SK SL SZ TR TZ UG ZM ZW
EP 1684859 A2 EN PCT Application WO 2004US31520
Based on OPI patent WO 2005030326
Regional Designated States,Original: CH DE FR LI NL SE

Original Titles:

...SYSTEM AND METHOD FOR * REAL* - * TIME* REMOTE * MONITORING* OF
* IMPLANTABLE* MEDICAL DEVICES...

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/00* ...

... * A61B-0005/00*

* A61B-0005/00* ...

... * A61B-0005/00*

Original Publication Data by Authority

Argentina

23/ 3,K/ 18 (Item 18 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0010732183 - Drawing available

WPI ACC NO: 2001-344070/200137

Related WPI Acc No: 2001-063670; 2001-484224; 2001-598424; 2005-570002;
2007-505044; 2007-532440; 2007-760466; 2008-A75434; 2008-J82131;
2008-K64846

XRPX Acc No: N2001-249212

**System for determining reference baseline of individual patient status for
use in automated collection and analysis patient care system for
determining whether patient is trending into area of potential medical
concern**

Patent Assignee: BARDY G H (BARD-I); CARDIAC INTELLIGENCE CORP (CARD-N)

Inventor: BARDY G H

Patent Family (21 patents, 2 countries)

Patent Application

Number	Kind	Date	Number	Kind	Date	Update
CA 2314517	A1	20010126	CA 2314517	A	20000725	200137 B
US 6221011	B1	20010424	US 1999361332	A	19990726	200137 E
US 20010011153	A1	20010802	US 1999361332	A	19990726	200147 E
			US 2001789416	A	20010220	
US 6277072	B1	20010821	US 1999361332	A	19990726	200150 E
			US 2000686713	A	20001010	
US 6280380	B1	20010828	US 1999361332	A	19990726	200151 E

US 1999476601 A 19991231

< removed unnecessary information >

Priority Applications (no., kind, date): US 1999361332 A 19990726; US 1999476601 A 19991231; US 2000686713 A 20001010; US 2001789416 A 20010220; US 2001860987 A 20010518; US 2001929243 A 20010813; US 2002330608 A 20021227; US 2003645980 A 20030822; US 2003646244 A 20030822; US 200584403 A 20050318; US 2005102522 A 20050408; US 2007880754 A 20070723; US 2007894514 A 20070820

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
--------	------	-----	----	-----	--------	-------

CA 2314517	A1	EN	77	17		
------------	----	----	----	----	--	--

US 20010011153	A1	EN			Continuation of application	US 1999361332
----------------	----	----	--	--	-----------------------------	---------------

Continuation of patent US 6221011

US 6277072	B1	EN			Division of application	US 1999361332
------------	----	----	--	--	-------------------------	---------------

Division of patent US 6221011

< removed unnecessary information >

Class Codes

International Classification (Main): * A61B-005/00*

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/00*...

< removed unnecessary information >

Original Publication Data by Authority

Argentina

Assignee name & address:

Claims:

...data module to assemble physiological measures, which were directly recorded as data on a substantially *continuous* basis by an *implantable* *medical* *device* for a patient or indirectly derived from the *data*; a reference baseline module to identify those of the physiological measures that originate from an...

...data module to assemble physiological measures, which were directly recorded as data on a substantially *continuous* basis by an *implantable* *medical* *device* for a patient or indirectly derived from the *data*; a reference baseline module to identify those of the physiological measures that originate from an...

23/ 3,K/ 19 (Item 19 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2009 Thomson Reuters. All rts. reserv.

0010463968 - Drawing available

WPI ACC NO: 2001-063670/200108

Related WPI Acc No: 2001-344070; 2001-484224; 2001-598424; 2005-570002;
2007-505044; 2007-532440; 2007-760466; 2008-A75434; 2008-J82131;
2008-K64846

XRPX Acc No: N2001-047949

**Automated collection and analysis system for retrieved patient information
for remote patient care, in which regularly retrieved patient information
is automatically collected and analyzed**

Patent Assignee: BARDY G H (BARD-I); CARDIAC INTELLIGENCE CORP (CARD-N);
CARDIAC PACEMAKERS INC (CARD-N)

Inventor: BARDY G H

Patent Family (36 patents, 28 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
EP 1057448	A1	20001206	EP 2000201939	A	20000531	200108 B
AU 200036385	A	20001214	AU 200036385	A	20000524	200108 E
CA 2309409	A1	20001203	CA 2309409	A	20000524	200109 E
AU 200048746	A	20010301	AU 200048746	A	20000720	200118 E
US 20010007053	A1	20010705	US 1999324894	A	19990603	200139 E
			US 2001789456	A	20010220	

< removed unnecessary information >

Priority Applications (no., kind, date): US 1999324894 A 19990603; US
1999361332 A 19990726; US 1999361777 A 19990726; US 1999476602 A
19991231; US 1999476600 A 19991231; EP 2000201939 A 20000531; US
2001789456 A 20010220; US 2001860977 A 20010518; US 2001861373 A
20010518; US 2001948307 A 20010906; US 2001948310 A 20010906; US
2002101007 A 20020318; US 2003422495 A 20030423; US 2003646035 A
20030822; US 2003646083 A 20030822; US 2003646104 A 20030822; US
200549906 A 20050204; US 2006480634 A 20060630; US 2006540251 A
20060929; US 2007894281 A 20070820; US 2007894312 A 20070820

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing	Notes
EP 1057448	A1	EN	38	18		

Regional Designated States,Original: AL AT BE CH CY DE DK ES FI FR GB GR
IE IT LI LT LU LV MC MK NL PT RO SE SI

CA 2309409	A1	EN
------------	----	----

US 20010007053	A1	EN	Division of application	US 1999324894
----------------	----	----	-------------------------	---------------

< removed unnecessary information >

Class Codes

International Classification (Main): * A61B-005/00*

International Classification (+ Attributes)

IPC + Level Value Position Status Version

* A61B-0005/00* ...
... * A61B-0005/00* ...
... * A61B-0005/00* ...
... * A61B-0005/02* ...
... * A61B-0005/04* ...
... * A61B-0005/0402* ...
... * A61B-0005/0408* ...
... * G06F-0019/00* ...
... * G06F-0019/00* ...
... * G06F-0019/00* ...
... * G06F-0019/00* ...
* A61B-0005/00* ...
... * A61B-0005/00* ...
... * A61B-0005/00* ...
... * A61B-0005/04* ...
... * A61B-0005/0402* ...
... * A61B-0005/0408* ...
... * G06F-0019/00* ...
... * G06F-0019/00* ...
... * G06F-0019/00* ...
... * G06F-0019/00*

Original Publication Data by Authority

Argentina

Assignee name & address:

Original Abstracts:

...measures are stored, including at least one of direct measures regularly recorded on a substantially *continuous* basis by an *implantable* *medical* *device* for a patient and measures derived from the direct measures. At least one of those...One or more physiological measures regularly recorded by an *implantable* *medical* *device* and relating to individual patient *information* recorded on a substantially *continuous* basis are *retrieved* from a patient care *record*. The physiological measures *retrieved* from one such patient care *record* are analyzed to determine a patient status. Each of the physiological measures are representative of at least one of measured and derived patient *information*.

Claims:

...a data module to assemble physiological measures, which were directly recorded as data on a *substantially* continuous basis by *an* *implantable* *medical* device for a patient or indirectly derived from *the* data; a status module to determine a status for the patient through sampling and analysis of the physiological measures over a plurality *of* data assembly points; and an evaluation module to evaluate the physiological measures, comprising: an analysis module to identify any t... comprising: retrieving from a patient care record one or more physiological measures regularly recorded by *an* *implantable* *medical* device and relating to individual *patient* information recorded on a *substantially* continuous basis and during an initial observation period; analyzing the physiological measures, each of the physiological measures being representative of at least one of measured and derived *patient* *information*, retrieved from one such patient *care* record to determine a patient status; determining one or more reference measures, each of the reference measures representative of at least one of measured and derived *patient* information, from the physiological *measures* retrieved from one such patient *care* record; and storing the reference measures into the one such patient *care* record indicating a reference baseline patient status...

<removed unnecessary information>

B. Patent Files, Full-Text

? show files;ds

File 348:EUROPEAN PATENTS 1978-200915

(c) 2009 European Patent Office

File 349:PCT FULLTEXT 1979-2009/UB= 20090402| UT= 20090326

(c) 2009 WIPO/Thomson

Set	Items	Description
S1	716248	REALTIME OR (REAL OR ACTUAL)() TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S2	716248	REALTIME OR (REAL OR ACTUAL)() TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S3	456617	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO() TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S4	302504	IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?)(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
S5	501566	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S6	337734	USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
S7	29887	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S8	703109	NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR INFO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
S9	985	S2(10N)(S3(5N)S4)
S10	38119	S5(5N)S6
S11	4692	S7(5N)S8
S12	28	S10(10N)S11
S13	0	S9(S)S12
S14	664654	ACCESS OR LOOK??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV??? OR LEVEL
S15	270550	S8(5N)S14
S16	2187	S10(10N)S15

S17 2 S9(S)S16
S18 19 S12 AND IC= (G06F OR G06Q OR A61B)
S19 17 S3 AND S18
S20 17 IDPAT (sorted in duplicate/non-duplicate order)
S21 17 IDPAT (primary/non-duplicate records only)

21/ AN,AZ,TI/ 1 (Item 1 from file: 348)

DIALOG(R)File 348:(c) 2009 European Patent Office. All rts. reserv.

02556817

Methods and systems for indicating a payment in a mobile environment

Verfahren und Systeme zur Kennzeichnung einer Zahlung in einer mobilen Umgebung

Procedes et systemes pour indiquer un paiement dans un environnement mobile

APPLICATION (CC, No, Date): EP 2008103106 060706;

21/ AN,AZ,TI/ 2 (Item 2 from file: 348)

DIALOG(R)File 348:(c) 2009 European Patent Office. All rts. reserv.

02556815

Methods and systems for making a payment via a stored value card in a mobile environment

Verfahren und Systeme zum Vornehmen einer Zahlung uber eine Karte mit gespeicherten Werten in einer mobilen Umgebung

Procedes et systemes pour effectuer un paiement via une carte a valeur stockee dans un environnement mobile

APPLICATION (CC, No, Date): EP 2008103081 060706;

21/ AN,AZ,TI/ 3 (Item 3 from file: 348)

DIALOG(R)File 348:(c) 2009 European Patent Office. All rts. reserv.

01888484

Systems and methods for secure transaction management and electronic rights protection

Systeme und Verfahren zur gesicherten Transaktionsverwaltung und elektronischem Rechtsschutz

Systemes et procedes de gestion de transactions securisees et de protection de droits electroniques

APPLICATION (CC, No, Date): EP 2004078254 960213;

PRIORITY (CC, No, Date): US 388107 950213

21/ AN,AZ,TI/ 4 (Item 4 from file: 348)

DIALOG(R)File 348:(c) 2009 European Patent Office. All rts. reserv.

01869029

Systems and methods for secure transaction management and electronic rights protection

Systeme und Verfahren zur gesicherten Transaktionsverwaltung und elektronischem Rechtsschutz

Systemes et procedes de gestion de transactions securisees et de protection de droits electroniques

APPLICATION (CC, No, Date): EP 2004078194 960213;

PRIORITY (CC, No, Date): US 388107 950213

21/ AN,AZ,TI/ 5 (Item 5 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

01542556

METHODS AND SYSTEMS FOR PROVIDING ACCESS TO A COMPUTING ENVIRONMENT

PROCEDES ET SYSTEMES DE FOURNITURE D'ACCES A UN ENVIRONNEMENT INFORMATIQUE

Application: WO 2007US60963 20070124 (PCT/WO US2007060963)

21/ AN,AZ,TI/ 6 (Item 6 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

01537571

GENIUS ADAPTIVE DESIGN

MODELE D'ADAPTATION AU GENIE

Application: WO 2006US48704 20061219 (PCT/WO US2006048704)

21/ AN,AZ,TI/ 7 (Item 7 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

01435247

**CONSISTENT SET OF INTERFACES DERIVED FROM A BUSINESS OBJECT MODEL
ENSEMBLE D'INTERFACES COHERENT DERIVE D'UN MODELE D'OBJETS**

COMMERCIAUX

Application: WO 2006IB1401 20060227 (PCT/WO IB2006001401)

21/ AN,AZ,TI/ 8 (Item 8 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00963611

**EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS
COMPUTER SYSTEM FOR RENTAL VEHICLE SERVICES**

**SYSTEME INFORMATIQUE INTERENTREPRISES A ELEMENTS MULTIPLES A ACCES
INTERNET POUR SERVICES DE LOCATION DE VEHICULES**

Application: WO 2001US51431 20011019 (PCT/WO US0151431)
Parent Application/Grant:
Related by Continuation to: US 2000694050 20001020 (CIP)

21/ AN,AZ,TI/ 9 (Item 9 from file: 349)
DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00933152
**EXTENDED WEB ENABLED MULTI-FEATURED BUSINESS TO BUSINESS
COMPUTER SYSTEM FOR RENTAL VEHICLE SERVICES
SYSTEME INFORMATIQUE ETENDU ENTRE ENTREPRISES, A FONCTIONS
MULTIPLES, FONCTIONNANT SUR LE WEB, POUR DES SERVICES DE LOCATION
DE VEHICULES**

Application: WO 2001US51437 20011019 (PCT/WO US0151437)
Parent Application/Grant:
Related by Continuation to: US 2000694050 20001020 (CIP)

21/ AN,AZ,TI/ 10 (Item 10 from file: 349)
DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00858327
**TRANSACTION SYSTEM
SYSTEME DE TRANSACTION**

Application: WO 2001IE69 20010522 (PCT/WO IE0100069)

21/ AN,AZ,TI/ 11 (Item 11 from file: 349)
DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00844691
**ONLINE DIGITAL VIDEO SIGNAL TRANSFER APPARATUS AND METHOD
APPAREIL ET PROCEDE DE TRANSFERT DE SIGNAL VIDEO NUMERIQUE EN LIGNE**
Application: WO 2001US11124 20010405 (PCT/WO US0111124)

21/ AN,AZ,TI/ 12 (Item 12 from file: 349)
DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00802534
**ANY-TO-ANY COMPONENT COMPUTING SYSTEM
SYSTEME INFORMATIQUE A COMPOSANTS TOUTE CATEGORIE**
Application: WO 2000US31231 20001113 (PCT/WO US0031231)

21/ AN,AZ,TI/ 13 (Item 13 from file: 349)
DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00784184

A SYSTEM, METHOD FOR FIXED FORMAT STREAM COMMUNICATION IN A COMMUNICATION SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE POUR FLUX DE FORMAT FIXE DANS UN ENVIRONNEMENT A CONFIGURATIONS DE SERVICES DE COMMUNICATION

Application: WO 2000US24114 20000831 (PCT/WO US0024114)

21/ AN,AZ,TI/ 14 (Item 14 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00784140

A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A GLOBALLY ADDRESSABLE INTERFACE IN A COMMUNICATION SERVICES PATTERNS ENVIRONMENT
SYSTEME, PROCEDE ET ARTICLE DE FABRICATION S'APPLIQUANT DANS UN ENVIRONNEMENT DE STRUCTURE DE SERVICES DE COMMUNICATIONS VIA UNE INTERFACE ADRESSABLE GLOBALEMENT

Application: WO 2000US24198 20000831 (PCT/WO US0024198)

21/ AN,AZ,TI/ 15 (Item 15 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00761424

A SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR PHASE DELIVERY OF COMPONENTS OF A SYSTEM REQUIRED FOR IMPLEMENTATION OF TECHNOLOGY
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE DESTINES A LA FOURNITURE PAR PHASES DE COMPOSANTS D'UN SYSTEME NECESSAIRES A L'APPLICATION D'UNE TECHNIQUE

Application: WO 2000US14458 20000524 (PCT/WO US0014458)

21/ AN,AZ,TI/ 16 (Item 16 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00484627

INTEGRATED BUSINESS SYSTEM FOR WEB BASED TELECOMMUNICATIONS MANAGEMENT
SYSTEME D'ECHANGES COMMERCIAUX INTEGRES POUR LA GESTION DE TELECOMMUNICATIONS SUR LE WEB

Application: WO 98US20170 19980925 (PCT/WO US9820170)

21/ AN,AZ,TI/ 17 (Item 17 from file: 349)

DIALOG(R)File 349:(c) 2009 WIPO/Thomson. All rts. reserv.

00234265

**SYSTEM FOR DIVIDING PROCESSING TASKS INTO SIGNAL PROCESSOR
AND DECISION-MAKING MICROPROCESSOR INTERFACING
SYSTEME DE SEPARATION DES TACHES DE TRAITEMENT EN TACHES POUR
INTERFACAGE AVEC UN PROCESSEUR DE SIGNAUX ET UN
MICROPROCESSEUR DE PRISE DE DECISION**

Application: WO 92US8954 19921014 (PCT/WO US9208954)

21/ 3,K/ 5 (Item 5 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

01542556

METHODS AND SYSTEMS FOR PROVIDING ACCESS TO A COMPUTING ENVIRONMENT

PROCEDES ET SYSTEMES DE FOURNITURE D'ACCES A UN ENVIRONNEMENT INFORMATIQUE

Patent Applicant/Assignee:

CITRIX SYSTEMS INC, 851 West Cypress Creek Road, Fort Lauderdale, FL 33309, US, US (Residence), US (Nationality), (For all designated states except: US)

Patent Applicant/Inventor:

ROBINSON David Neil, Citrix Systems Australasia R & D Pty Ltd., Level 3, 1 Julius Avenue, North Ryde, New South Wales, 2113, AU, AU (Residence), AU (Nationality),

PEDERSEN Bradley J, 851 West Cypress Creek Road, Fort Lauderdale, FL 33309, US, US (Residence), US (Nationality),

CROFT Richard Jason, Citrix Systems Australasia R & D Pty Ltd., Level 3, 1 Julius Avenue, North Ryde, New South Wales, 2113, AU, AU (Residence), AU (Nationality),

LOW Anthony Edward, Citrix Systems Australasia R & D Pty Ltd., Level 3, 1 Julius Avenue, North Ryde, New South Wales, 2113, AU, AU (Residence), AU (Nationality),

MAZZAFERRI Richard James, Citrix Systems Australasia R & D Pty Ltd., Level 3, 1 Julius Avenue, North Ryde, New South Wales, 2113, AU, AU (Residence), AU (Nationality),

Legal Representative:

LANZA John D (agent), Choate, Hall & Stewart, Two International Place, Boston, MA 02110, US

Patent and Priority Information (Country, Number, Date):

Patent: WO 200787558 A2 20070802 (WO 0787558)

Application: WO 2007US60963 20070124 (PCT/WO US2007060963)

Priority Application: US 2006761674 20060124; US 2006552315 20061024; US 2006559658 20061114; US 2006563958 20061128; US 2006563932 20061128; US 2007624394 20070118; US 2007624395 20070118; US 2007624396 20070118; US 2007624403 20070118; US 2007624402 20070118

Designated States:

(All protection types applied unless otherwise stated - for applications 2004+)

AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM GT HN HR HU ID IL IN IS JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LV LY MA MD MG MK MN MW MX MY MZ NA NG NI NO NZ OM PG PH PL PT RO RS RU SC SD SE SG SK SL SM SV SY TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

(EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LT LU LV MC NL PL PT RO SE SI SK TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) BW GH GM KE LS MW MZ NA SD SL SZ TZ UG ZM ZW
(EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 157956

International Patent Class (v8 + Attributes)
IPC + Level Value Position Status Version Action Source Office:
* G06F-0009/455* ...

...EP
* G06F-0009/50* ...
Fulltext Availability:
Detailed Description
Claims

Detailed Description

... be done manually or automatically via policies or preferences or through a learning process by *monitoring* a user's behavior over time.

...is available to a user of the client system. In another embodiment, the accessed data *transmitted* to the client system are displayable at the client system as icons in a graphical...

...display of computing environment images available to the client system, and the created page is *transmitted* to the client system.

In another aspect, in a network including a client system and a plurality of servers storing computing environments, a server includes a broker module, a *transmitter*, a *receiver*, and a *transceiver*. The broker module accesses collected data regarding computing environments and determines, for each computing environment...

...system. The receiver receives a request to access one of the available computing environments. The *transceiver* provides a connection between the client system and a virtual machine providing the requested computing...

...created responsive to the collected information and a web page template. In still another embodiment, *transceiver* provides a connection between the client system and a virtual machine providing the requested computing...

...local operating system forms the local desktop environment. In yet another aspect, the local agent *detects* an attribute change in one of the first local window and the second local window...

...window is formed in the local desktop environment, the second window displaying the graphical data *received* from the third virtual channel in accordance with the window attribute data received from the...

< removed unnecessary information >

Claim

23. The apparatus of claim 15, wherein the identification component further comprises a *transceiver* receiving an identification of a user of the client machine and transmitting the identification of...

24. The apparatus of claim 15, wherein the identification component further comprises a *transceiver* receiving an identification by a user of the client machine of a type of computing...

25. The apparatus of claim 15, wherein the identification component further comprises a *transceiver* receiving an identification by a user of the client machine of a type of virtual...

26. The apparatus of claim 15, wherein the identification component further comprises a *transceiver* receiving an identification of a type of computing environment requested and transmitting the identification of

< removed unnecessary information >

98. The method of claim 95, wherein the local windows exhibit window attribute... forming the local desktop environment, the local agent periodically polling the local operating system to *detect* an attribute change in the local window, wherein the local agent transmits a message to...

...the steps of: polling a local operating system associated with the local desktop environment to *detect* an attribute change in the local window and transmitting a message to the remote desktop environment indicative of the *detected* attribute change.

110. The method of claim 107, wherein the local window exhibits window attribute...hypervisor providing access to hardware resources required by the computing environment, the apparatus comprising: a *transceiver* receiving credentials associated with a user of a client machine, enumerating a plurality of resources...

21/ 3,K/ 10 (Item 10 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00858327

TRANSACTION SYSTEM

SYSTEME DE TRANSACTION

Patent Applicant/Assignee:

FX DEAL LIMITED, 2-4 Ely Place, Dublin 2, IE, IE (Residence), IE
(Nationality), (For all designated states except: US)

Patent Applicant/Inventor:

MADELY Tim, 4 The Mews, Castlewood Terrace, Rathmines, Dublin 6, IE, IE
(Residence), IE (Nationality), (Designated only for: US)
WYNNE Stephen, 6 Fairfield Avenue, East Wall, Dublin 3, IE, IE
(Residence), IE (Nationality), (Designated only for: US)
TROY Keith, 11 Parklands Close, Maynooth, County Kildare, IE, IE
(Residence), IE (Nationality), (Designated only for: US)
FOLEY Sean, 19 Renewood Park, Castleknock, Dublin 15, IE, IE (Residence),
IE (Nationality), (Designated only for: US)

Legal Representative:

BROPHY David (agent), F.R. Kelly & Co., 27 Clyde Road, Ballsbridge,
Dublin 4, IE,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200190972 A2 20011129 (WO 0190972)
Application: WO 2001IE69 20010522 (PCT/WO IE0100069)
Priority Application: IE 2000412 20000525

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT
LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
TR TT TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 10157

Main International Patent Class (v7): * G06F-017/60*

Fulltext Availability:

Detailed Description

Detailed Description

... table. All information within the factor column is lost. The
administrative tool 28 will automatically *detect* and handle duplicate
table entries that might result from a delete operation.

Changing Margin Effect - Adjustment versus Override

Margins *retrieved* from a *tier* (other than the *system* tier) can be
either added to the previously calculated current *client* *rate* or can
override a previously calculated margin. The administrator may specify on
a per table...

21/ 3,K/ 11 (Item 11 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00844691 **Image available**

**ONLINE DIGITAL VIDEO SIGNAL TRANSFER APPARATUS AND METHOD
APPAREIL ET PROCEDE DE TRANSFERT DE SIGNAL VIDEO NUMERIQUE EN LIGNE**

Patent Applicant/Assignee:

SONY PICTURES DIGITAL ENTERTAINMENT INC, 3960 Ince Boulevard, # 1052,
Culver City, CA 90232, US, US (Residence), US (Nationality)

Inventor(s):

SHERR Scott Jeffrey, 1840 Veteran Avenue, # 304, Los Angeles, CA 90025, US,
MIRANDA Eva, 20141 Rancho Bella Vista, Saratoga, CA 95070, US,
RUBENSTEIN Ira Steven, 1348 Beckwith Avenue, Los Angeles, CA 90049, US,
CAREY Sean Brennan, 744 Oxford Avenue, Marina del Rey, CA 90292, US,
LANDAU Yair, 1427 Chastain Parkway West, Pacific Palisades, CA 90272, US,
FRANK Andrew C, 2166 Broadway # 15E, New York, NY 10024, US,
LAKAMP Brian David, 18131 Kingsport Drive, Malibu, CA 90265, US,
SPAULDING Bryan Gentry, 55 Santa Clara Avenue, San Francisco, CA 94127, US,
EVANS Charles Jonathan, 55 West 14th Street, Apt. 2E, New York, NY 10011, US,
SCHNABEL Everton Anthony, 428 N. Laurel Avenue, Los Angeles, CA 90048, US,
OCHS Hartmut, 818 Parkman Avenue, Los Angeles, CA 90026, US,
BARNETT Jeremy Eli, 563 Via de la Paz, Pacific Palisades, CA 90272, US,
PALMER Seth David, 33 Gold Street, Apt. 509, New York, NY 10038, US,
ENDERSON Todd Michael, 2249 Veteran Avenue, Los Angeles, CA 90064, US,
CHONG William W, 20 Confucius Plaza, # 18M, New York, NY 10002, US,
FOREST Bruce, 10 Spring Valley Road, Weston, CT 06883, US,
KOENIG Steven, 1751 Croner Avenue, Menlo Park, CA 94025, US,
WIERSHOLM Karl, 7624 116th Avenue, N.E., Kirkland, WA 98033, US,

Legal Representative:

RITTMASER Ted R (agent), Foley & Lardner, Suite 3500, 2029 Century Park
East, Los Angeles, CA 90067-3021, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200178367 A2-A3 20011018 (WO 0178367)

Application: WO 2001US11124 20010405 (PCT/WO US0111124)

Priority Application: US 2000195870 20000407; US 2000603805 20000626

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE
ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT
LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
TR TT TZ UA UG UZ VN YU ZA ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 13856

...International Patent Class (v7): * G06F-003/00* ...

...* G06F-013/00*

Fulltext Availability:

Detailed Description

Claims

Detailed Description

... attempts to bypass the encryption key within the movie file, the Archive Management System may *detect* such abuse and may override other file management - 21 software on the user's storage...

Claim

... production of a user-perceptible form of the selected content when conditions defined by the *access* *level* *information* are not met; and *charging* a license *fee* to a *user* of the network enabled device based on a license access level.

21/ 3,K/ 16 (Item 16 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2009 WIPO/Thomson. All rts. reserv.

00484627

INTEGRATED BUSINESS SYSTEM FOR WEB BASED TELECOMMUNICATIONS MANAGEMENT

SYSTEME D'ECHANGES COMMERCIAUX INTEGRES POUR LA GESTION DE TELECOMMUNICATIONS SUR LE WEB

Patent Applicant/Assignee:

BARRY B Reilly,
CHODORONEK Mark A,
DeROSE Eric,
GONZALES Mark N,
JAMES Angela R,
LEVY Lynne,
TUSA Michael,

Inventor(s):

BARRY B Reilly,
CHODORONEK Mark A,
DeROSE Eric,
GONZALES Mark N,
JAMES Angela R,
LEVY Lynne,
TUSA Michael,

Patent and Priority Information (Country, Number, Date):

Patent: WO 9915979 A1 19990401
Application: WO 98US20170 19980925 (PCT/WO US9820170)
Priority Application: US 9760655 19970926
Designated States:
(Protection type is "patent" unless otherwise stated - for applications prior to 2004)
AU BR CA JP MX SG AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
Publication Language: English
Fulltext Word Count: 88075

Main International Patent Class (v7): * G06F-013/00*

Fulltext Availability:
Detailed Description
Claims

Detailed Description

... alone applications including: a Traffic view system enabling customers to perform real-time network traffic *monitoring* of their toll-free networks, and obtain near-real time call detail data and reports...for command and control of network switching; BroadbandView, Broadband SNMP (previousl H erScope) and Event *Monitor* (previously Fault Manager for network performance and alarm data; Service Inquiry (preiously Direct Dis atch)for trouble ticket management; Real-Time *Monitor* @or near real time call detail data; ClientView for invoice data.

Limited interactive toll free...one or more Intranet application services over an Internet/Intranet network; 3) a real-time *monitoring* system enabling a customer to *monitor* call detail statistics and call detail data pertaining to their special service network usage, e...

< removed unnecessary information >

94 The integrated and secure system for conducting business over the public Internet as...
...real time with respect to the customer's switched communications connections by a real time *monitor* application.

95 The integrated and secure system for conducting business over the public Internet as...

IV. Text Search Results from Dialog

A. NPL Files, Abstract

Bibliographic NPL files - 1

? show files;ds

File 471:New York Times Fulltext 1980-2009/Apr 13

(c) 2009 The New York Times

File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13

(c) 2002 Gale/Cengage

File 164:Allied & Complementary Medicine 1984-2009/Apr

(c) 2009 BLHCIS

File 474:New York Times Abs 1969-2009/Apr 12

(c) 2009 The New York Times

File 475:Wall Street Journal Abs 1973-2009/Apr 11

(c) 2009 The New York Times

File 155:MEDLINE(R) 1950-2009/Apr 09

(c) format only 2009 Dialog

File 35:Dissertation Abs Online 1861-2009/Mar

(c) 2009 ProQuest Info&Learning

File 65:Inside Conferences 1993-2009/Apr 09

(c) 2009 BLDSC all rts. reserv.

File 91:MANTIS(TM) 1880-2008/Aug

2001 (c) Action Potential

File 99:Wilson Appl. Sci & Tech Abs 1983-2009/Feb

(c) 2009 The HW Wilson Co.

File 144:Pascal 1973-2009/Apr W1

(c) 2009 INIST/CNRS

File 45:EMCare 2009/Apr W1

(c) 2009 Elsevier B.V.

Set Items Description

S1 1258949 REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING
OR CONSTANT??(2N)UPDAT??? OR LIVE

S2 1258949 REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING
OR CONSTANT??(2N)UPDAT??? OR LIVE

S3 269204 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-
RANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONI-
TOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING -
OR TRANSDUC? OR DETECT???

S4 37523 IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMB-
ED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-
) (2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIO-
R?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???

S5 316142 PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR
COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES
OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVO-
ICES OR INVOICED OR RATE OR RATES

S6 292506 USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPAT-
IENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PA-
RTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR
RECIPIENT OR RECIPIENTS

S7 2722 (ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OP-
EN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETR-
IEV???) (2N) (LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GR-
ADE OR GRADES)

S8 795539 NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR IN-
FO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR
REPORTS OR RESULT OR RESULTS OR SYSTEM

S9 555 S2(10N)(S3(5N)S4)

S10 14733 S5(5N)S6

S11 133 S7(5N)S8

S12 0 S10(10N)S11

S13 0 S9(S)S12

S14 0 S10(10N)S11

S15 0 S10(S)S11

S16 24791 S5(10N)S6

S17 221 S7(10N)S8

S18 0 S16(20N)S17

S19 4 S16 AND S17

S20 1 S2(S)S3(S)S4(S)S5(S)S6(S)S7(S)S8

S21 40 S2(S)S3(S)S5(S)S7(S)S8

S22 360 S2 AND S3 AND S5 AND S7 AND S8

S23 0 S9(S)S22

S24 7 S10(S)S22

S25 14 S11(S)S22

S26 59 S21 OR S24 OR S25

S27 1 S20 NOT (PY> 2000 OR PD= 20000830:20001231)

27/ 3,K/ 1 (Item 1 from file: 155)

DIALOG(R)File 155:MEDLINE(R)

(c) format only 2009 Dialog. All rts. reserv.

11679200 PMID: 8578012

**Lung function changes and exercise-induced ventilatory responses to
external resistive loads in normal subjects.**

Wassermann K; Gitt A; Weyde J; Eckel H E

Medical Department III, University of Cologne, Germany.

Respiration; international review of thoracic diseases (SWITZERLAND)

1995, 62 (4) p177-84, ISSN 0025-7931--Print Journal Code: 0137356

Publishing Model Print

Document type: Clinical Trial; Journal Article; Randomized Controlled

Trial

Languages: ENGLISH

Main Citation Owner: NLM

Record type: MEDLINE; Completed

... the larynx and trachea. Among all conventional lung function values, PEF and, to a certain *degree*, PIF, *seem* to be the best suitable follow-up parameters to assess airway mechanics before and after...

... involving surface areas of no more than 50 mm² can be overcome using adequate respiratory *compensation* . But any additional narrowing below this limit will *result* in hypoventilation, inappropriate oxygen uptake and retention of CO₂. Thus, experimental evidence indicates that laryngotracheal...

Bibliographic NPL files - 2

? show files;ds

File 256:TecInfoSource 82-2009/Dec

(c) 2009 Info.Sources Inc

File 431:MediConf: Medical Con. & Events 1998-2004/Oct B2

(c) 2004 Dr. R. Steck

File 5:Biosis Previews(R) 1926-2009/Apr W1

(c) 2009 The Thomson Corporation

File 24:CSA Life Sciences Abstracts 1966-2009/Jul

(c) 2009 CSA.

File 136:BioEngineering Abstracts 1966-2007/Jan

(c) 2007 CSA.

File 6:NTIS 1964-2009/Apr W2

(c) 2009 NTIS, Intl Cpyrght All Rights Res

File 2:INSPEC 1898-2009/Apr W1

(c) 2009 Institution of Electrical Engineers

File 73:EMBASE 1974-2009/Apr 09

(c) 2009 Elsevier B.V.

File 34:SciSearch(R) Cited Ref Sci 1990-2009/Apr W1

(c) 2009 The Thomson Corp

File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec

(c) 2006 The Thomson Corp

File 23:CSA TECHNOLOGY RESEARCH DATABASE 1963-2009/MAR

(c) 2009 CSA.

File 8:Ei Compendex(R) 1884-2009/Mar W5

(c) 2009 Elsevier Eng. Info. Inc.

Set Items Description

S1 2926102 REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING
OR CONSTANT??(2N)UPDAT??? OR LIVE

S2 11294123 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-
RANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONI-
TOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING -
OR TRANSDUC? OR DETECT???

S3 1548519 IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMB-
ED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-
) (2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIO-
R?) (2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???

S4 10651517 PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR
COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES
OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVO-
ICES OR INVOICED OR RATE OR RATES

S5 10861395 USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPAT-
IENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PA-
RTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR
RECIPIENT OR RECIPIENTS

S6 74080 (ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OP-

EN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETR-
IEV???) (2N) (LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GR-
ADE OR GRADES)

S7 1728 S1(10N)(S2(5N)S3)

S8 327386 S4(5N)S5

S9 0 S6(5N)S7

S10 12960335 ACCESS OR LOOK??? OR READ??? OR UNLOCK??? OR OPEN??? OR UN-
SEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV??? OR L-
EVEL

S11 37 S7(5N)S10

S12 1 S8 AND S11

S13 2 S1(S)S2(S)S3(S)S4(S)S5(S)S6

S14 3 S7(S)(S4(5N)S10)

S15 298483 S4(5N)S10

S16 111 S1(S)S2(S)S3(S)S15

S17 18 S1(10N)S2(10N)S3(10N)S15

S18 32 (S1(10N)S2(10N)S3)(S)S15

S19 44 S17 OR S18

S20 19 S19 NOT (PY>2000 OR PD=20000830:20001231)

S21 7 RD (unique items)

S22 68 S16 NOT S19

S23 23 S22 NOT (PY>2000 OR PD=20000830:20001231)

S24 14 RD (unique items)

24/ 6/ 1 (Item 1 from file: 5)

15313565 BIOSIS NO.: 200000031878

Fertilizing ability of DNA-damaged spermatozoa

1999

24/ 6/ 2 (Item 2 from file: 5)

15066023 BIOSIS NO.: 199900325683

**Long-term systemic administration of human recombinant interleukin-1 beta
induces a dose-dependent fall in circulating parathyroid hormone in rats**

1999

24/ 6/ 3 (Item 3 from file: 5)

13734478 BIOSIS NO.: 199799368538

**Real-time measurement of electrically evoked extracellular dopamine in the
striatum of freely moving rats**

1997

24/ 6/ 4 (Item 4 from file: 5)

13573021 BIOSIS NO.: 199699207081

**Suppression in the secretion of follicle-stimulating hormone and
luteinizing hormone, and ovarian follicle development in heifers**

continuously infused with a gonadotropin-releasing hormone agonist
1996

24/ 6/ 5 (Item 5 from file: 5)

12794407 BIOSIS NO.: 199598262240

Administration of porcine somatotropin by sustained-release implant:

Growth, carcass, and sensory responses in crossbred white and genetically lean and obese boars and gilts

1995

24/ 6/ 6 (Item 1 from file: 6)

2354831 NTIS Accession Number: N20050181960/XAB

Embedded Web Technology: Internet Technology Applied to Real-Time System Control

Apr 1998

24/ 6/ 7 (Item 1 from file: 2)

06595227 INSPEC Abstract Number: B9707-7230-051, C9707-3240N-002

Title: A high-performance, dynamically-compensated smart sensor system

Publication Date: 1996

Copyright 1997, IEE

24/ 6/ 8 (Item 2 from file: 2)

03343394 INSPEC Abstract Number: B84061807

Title: Technology and the diabetic patient

Publication Date: Sept. 1984

24/ 6/ 9 (Item 3 from file: 2)

0000158222 INSPEC Abstract Number: 1916B00317

Title: Darien radio station of the U.S. navy

Publication Date: Feb. 1916

Copyright 2004, IEE

24/ 6/ 10 (Item 1 from file: 73)

0077817934 EMBASE No: 1999304262

Epidemiological, structural and economic aspects of renal replacement care in Germany

Epidemiologische, strukturelle und ökonomische aspekte der versorgung mit nierenersatztherapie in Deutschland

September 8, 1999

24/ 6/ 11 (Item 2 from file: 73)
0075942971 EMBASE No: 1994363308
**Initial clinical experience with a wearable controller for the Novacor
left ventricular assist system**
July 1, 1994

24/ 6/ 12 (Item 1 from file: 34)
01781160 Genuine Article#: JA689 Number of References: 19
**Title: IDEAL COMPLETION AND STONE REPRESENTATION OF IDEAL-
DISTRIBUTIVE ORDERED SETS (Abstract Available)**

24/ 6/ 13 (Item 2 from file: 34)
01754807 Genuine Article#: HY544 Number of References: 0
**Title: A UNIVERSAL ROBOT CONTROL-SYSTEM (URCS) BASED ON THE TUNIS
MULTIPROCESSOR (Abstract Available)**

24/ 6/ 14 (Item 1 from file: 23)
0008888636 IP ACCESSION NO: 200804-71-291789; 200804-61-302172;
2008278868; A08-99-290759
**Method and apparatus for controlling bath level and measurement of bath
characteristics**

24/ 3,K/ 6 (Item 1 from file: 6)

DIALOG(R)File 6:NTIS

(c) 2009 NTIS, Intl Cpyrght All Rights Res. All rts. reserv.

2354831 NTIS Accession Number: N20050181960/XAB

Embedded Web Technology: Internet Technology Applied to Real-Time System Control

Daniele, C. J.

NASA Lewis Research Center

Corp. Source Codes: 888888888

Apr 1998 3p

Languages: English

Journal Announcement: USGRDR0621; STAR4406

Text in English. Publicly available Unlimited. CASI.

Order this product from NTIS by: phone at 1-800-553-NTIS (U.S. customers); (703)605-6000 (other countries); fax at (703)605-6900; and email at orders@ntis.gov. NTIS is located at 5285 Port Royal Road, Springfield, VA, 22161, USA.

NTIS Prices: PC A01

... Lewis Research Center is developing software tools to bridge the gap between the traditionally non-*real*-*time* Internet technology and the *real*-*time*, *embedded* -controls environment for space applications. Internet technology has been expanding at a phenomenal *rate*. The simple World Wide Web *browsers* (such as earlier versions of Netscape, Mosaic, and Internet Explorer) that resided on personal computers...

... thereby providing platform independence. In contrast, the development of software to interact with a microprocessor (*embedded* controller) that is used to *monitor* and control a space experiment has generally been a unique development effort. For each experiment...

...expanding technology as new products are developed. This approach led to the development of the *Embedded* Web Technology (EWT) program at Lewis, which has the potential to significantly reduce software development...

24/ 3,K/ 7 (Item 1 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2009 Institution of Electrical Engineers. All rts. reserv.

06595227 INSPEC Abstract Number: B9707-7230-051, C9707-3240N-002

Title: A high-performance, dynamically-compensated smart sensor system

Author(s): Jacobsen, E.; Baum, J.

Author Affiliation: Semicond. Products Sector, Motorola Inc., Phoenix, AZ, USA

Conference Title: Proceedings Sensors Expo Anaheim p.43-9

Publisher: Helmers Publishing, Peterborough, NH, USA

Publication Date: 1996 Country of Publication: USA 431 pp.

Material Identity Number: XX96-01466
Conference Title: Proceedings of Conference on Sensors and Systems
Conference Sponsor: Sensors Magazine
Conference Date: 16-18 April 1996 Conference Location: Anaheim, CA, USA
Language: English
Subfile: B C
Copyright 1997, IEE

Abstract: Three *sensor* calibration/compensation techniques have been discussed. The first technique, hardware calibration, uses a customized amplifier to eliminate *sensor*-to-*sensor* variations. The second technique, fixed-hardware interface with *open*-loop software *compensation*, uses fixed-value system circuitry that is designed such that the *sensor*'s dynamic signal over all *sensor*-to-*sensor* and temperature variations will remain within the A/D's window. The third technique, dynamic compensation, incorporates a closed-loop circuit topology to dynamically compensate the *sensor* signal (both the *sensor*'s offset and sensitivity are dynamically adjusted to maintain them at their desired levels). Since the *sensor* signal is compensated in *real*-time*, no headroom is required for *sensor*-to-*sensor* nor temperature variations in the system. Finally, in addition to the dynamic compensation, the system incorporates "smart *sensor*" features with the *embedded* microcontroller. These smart *sensing* functions include software calibration and temperature compensation (dynamic compensation), in-field recalibration capability, self-test and self-diagnostic features, dynamic zero (tare adjust), *transducer* electronic data sheet (TEDS), and serial communications interface.

24/ 3,K/ 8 (Item 2 from file: 2)

DIALOG(R)File 2:INSPEC

(c) 2009 Institution of Electrical Engineers. All rts. reserv.

03343394 INSPEC Abstract Number: B84061807

Title: Technology and the diabetic patient

Author(s): Pickup, J.C.; Rothwell, D.

Author Affiliation: Dept. of Chem. Pathology, Guy's Hospital Medical School, London, UK

Journal: Medical & Biological Engineering & Computing vol.22, no.5 p.385-400

Publication Date: Sept. 1984 Country of Publication: UK

CODEN: MBECDY ISSN: 0140-0118

U.S. Copyright Clearance Center Code: 0140-0118/84\$2.00+ 0.00

Language: English

Subfile: B

...Abstract: delivery systems are being developed which seek more closely to mimic nondiabetic insulin secretion patterns. *Continuous* infusion of insulin from a pump is a key strategy which allows constant but variable

dosage *rates* either in *open*-loop mode with pre-set basal levels and prandial boosts activated by the patient, or with *continuous* automatic glucose *sensing* and feedback control of insulin or glucose infusion rates (the artificial endocrine pancreas). The intravenous...
... delivery are being explored but most clinical and experimental experience has been with open loop *continuous* subcutaneous insulin infusion (CSII) using a portable pump, worn outside the body. Totally *implantable* infusion pumps are at an early stage of clinical testing. A reliable *implantable* glucose *sensor* is not yet available but several approaches to the problem are under active investigation.

24/ 3,K/ 10 (Item 1 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2009 Elsevier B.V. All rts. reserv.

0077817934 EMBASE No: 1999304262

Epidemiological, structural and economic aspects of renal replacement care in Germany

Epidemiologische, strukturelle und ökonomische aspekte der versorgung mit nierenersatztherapie in Deutschland

Kupsch S.; Kern A.O.; Beske F.

Inst. Gesundheits-System-Forschung, Weimarer Strasse 8, D-24106 Kiel, Germany

CORRESP. AUTHOR/AFFIL: Beske F.: Inst. Gesundheits-System-Forschung,

Weimarer Strasse 8, D-24106 Kiel, Germany

Gesundheitsökonomie und Qualitätsmanagement (Gesundh.ökon. Qual.manage.)

(Germany) September 8, 1999, 4/4 (113-122)

CODEN: GEQUF ISSN: 1432-2625

DOCUMENT TYPE: Journal; Review RECORD TYPE: Abstract

LANGUAGE: German SUMMARY LANGUAGE: English; German

NUMBER OF REFERENCES: 26

...providers could be adjusted. The remuneration of all providers is almost completely based on flat *rates* negotiated on a regional *level* between providers and statutory health insurance funds. Harmonisation of reimbursement arrangements could lead to more...

24/ 3,K/ 11 (Item 2 from file: 73)

DIALOG(R)File 73:EMBASE

(c) 2009 Elsevier B.V. All rts. reserv.

0075942971 EMBASE No: 1994363308

Initial clinical experience with a wearable controller for the Novacor left ventricular assist system

Miller P.J.; Billich T.J.; LaForge D.H.; Lee J.; Naegeli A.; Ramasamy N.; Jassawalla J.S.; Portner P.M.

Biomedical Engineering, Novacor Division, Baxter Healthcare Corporation,

7799 Pardee Lane, Oakland, CA 94621, United States
CORRESP. AUTHOR/AFFIL: Miller P.J.: Biomedical Engineering, Novacor
Division, Baxter Healthcare Corporation, 7799 Pardee Lane, Oakland, CA
94621, United States

ASAIO Journal (ASAIO J.) (United States) July 1, 1994, 40/3
(M465-M470)
CODEN: AJOU E ISSN: 1058-2916
DOCUMENT TYPE: Journal; Article RECORD TYPE: Abstract
LANGUAGE: English SUMMARY LANGUAGE: English
NUMBER OF REFERENCES: 10

...native heart. Main and reserve rechargeable power packs, each
incorporating a 'smart' monitoring circuit with * charge* - * level* display
and alarm, are capable of supporting the pump for as long as 7 hr. An LVAS
* monitor* can be connected to the controller for device * monitoring* and
adjustment or as a power supply in lieu of the main power pack. Clinical...

...were able to move freely within and outside the hospital. Recipients
could readily switch between * monitored* and untethered operation and could
manage power pack replacement and recharging.

B. NPL Files, Full-Text

Full text NPL files - 1

? show files;ds

File 20:Dialog Global Reporter 1997-2009/Apr 14

(c) 2009 Dialog

Set	Items	Description
S1	4648807	REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S2	5506807	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S3	544154	IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
S4	16581559	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S5	6233075	USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
S6	158466	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S7	29848590	NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR IN-FO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
S8	475	S1(10N)(S2(5N)S3)
S9	343566	S4(5N)S5
S10	9721	S6(5N)S7
S11	22	S9(10N)S10
S12	0	S8(S)S11
S13	314	S4(10N)S5(10N)S6(10N)S7
S14	0	S8(2S)S13
S15	1256	S2(S)(S1 OR S3)(S)S4(S)S6
S16	1	S8(S)S15
S17	113	S9(S)S15
S18	80	S10(S)S15

S19 73 S9(10N)S15
 S20 32 S10(10N)S15
 S21 105 S16 OR S19 OR S20
 S22 15 S21 NOT (CONFERENCE())CALL OR (FIRST OR 1ST OR SECOND OR 2ND
 OR THIRD OR 3RD OR FOURTH OR 4TH OR FINAL OR PRELIMINARY OR -
 INTERIM)()(QUARTER OR RESULTS) OR QUARTERLY OR ANNUAL()REPORT
 OR (8 OR 10)()(K OR Q) OR 8K OR 8Q OR 10K OR 10Q OR WEBCAST OR
 WEBINAR)
 S23 0 S22 NOT (PY> 2000 OR PD= 20000830:20001231)
 S24 529 S15 NOT (CONFERENCE())CALL OR (FIRST OR 1ST OR SECOND OR 2ND
 OR THIRD OR 3RD OR FOURTH OR 4TH OR FINAL OR PRELIMINARY OR -
 INTERIM)()(QUARTER OR RESULTS) OR QUARTERLY OR ANNUAL()REPORT
 OR (8 OR 10)()(K OR Q) OR 8K OR 8Q OR 10K OR 10Q OR WEBCAST OR
 WEBINAR)/TI
 S25 12 S24 NOT (PY> 2000 OR PD= 20000830:20001231)
 S26 12 RD (unique items)

26/ 6/ 1

11186389

E-lectrifying the Auto Industry

Old economy patriarchs motor into the new economy arena.

January 06, 2000

WORD COUNT: 1876

26/ 6/ 2

07925152 (USE FORMAT 7 OR 9 FOR FULLTEXT)

**FranceNet Chooses Micromuse's Netcool Software to Manage Critical
Application Services**

October 26, 1999

WORD COUNT: 749

26/ 6/ 3

05694131 (USE FORMAT 7 OR 9 FOR FULLTEXT)

**Digital Courier Technologies, Inc. Announces Completion Of Secure-Bank.com
Acquisition**

June 10, 1999

WORD COUNT: 544

26/ 6/ 4

05094423

IRT Computimes: Home users warned of new CI H virus

April 26, 1999

WORD COUNT: 1176

26/ 6/ 5

03178230 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Zoom Ships Full-Color Live-Motion USB Video Camera

October 21, 1998

WORD COUNT: 482

26/ 6/ 6

03093538

HP Adds 450MHz Pentium II Xeon-Based Systems to HP Kayak PC Workstation Family; Powerful HP Kayak XU PC Workstation Continues to Lead Industry in Windows NT Performance

October 13, 1998

WORD COUNT: 832

26/ 6/ 7

03082864

HP Offers CMOS Image Sensors for Digital Still and PC Video Cameras

October 12, 1998

WORD COUNT: 889

26/ 6/ 8

03078655

Planar Display Solutions and NCD to Co-Develop a New Thin Client Product Line for the Healthcare Market

October 12, 1998

WORD COUNT: 882

26/ 6/ 9

03039385

Fitch IBCA Lowers Ratings on Four SubPrime Home Equity Lenders; On Alert - Fitch IBCA -

October 07, 1998

WORD COUNT: 1128

26/ 6/ 10

03004432

EnviroRanger Makes "Smart" Lift Station Network Affordable; Milltronics' Solution Meets Regulatory Guidelines for Overflow Reporting

October 05, 1998

WORD COUNT: 553

26/ 6/ 11

02887047

Avesta Technologies | PnetWATCHER Gains Cisco Management Connection

September 22, 1998

WORD COUNT: 655

26/ 6/ 12

02808068

Hacked New York Times Web Site Reveals Increasing Need for Ongoing Security Measures

September 14, 1998

WORD COUNT: 756

26/ 3,K/ 2

DIALOG(R)File 20:Dialog Global Reporter
(c) 2009 Dialog. All rts. reserv.

07925152 (USE FORMAT 7 OR 9 FOR FULLTEXT)

FranceNet Chooses Micromuse's Netcool Software to Manage Critical Application Services

BUSINESS WIRE

October 26, 1999

JOURNAL CODE: WBWE LANGUAGE: English RECORD TYPE: FULLTEXT

WORD COUNT: 749

... Agreement data relating to their sites, including views of availability, speed of response and hit *rate* .

26/ 3,K/ 8

DIALOG(R)File 20:Dialog Global Reporter
(c) 2009 Dialog. All rts. reserv.

03078655

Planar Display Solutions and NCD to Co-Develop a New Thin Client Product Line for the Healthcare Market

BUSINESS WIRE

October 12, 1998

JOURNAL CODE: WBWE LANGUAGE: English RECORD TYPE: FULLTEXT

WORD COUNT: 882

...are available for a variety of space-constrained settings. "Windows CE is quickly becoming the *embedded* systems development platform of choice for the healthcare industry," stated Jim Stuart, healthcare business development...

... a division of Planar Systems, sells point-of-care, flat panel display computers, full-color *monitors* , multi-color and monochrome electroluminescent *monitors* , and flat panel terminals throughout the United States. All products are available with innovative mounting...

... and market acceptance risk, the effect of economic conditions, the impact of competitive products and *pricing* , product development, commercialization and technological difficulties, capacity and supply constraints or difficulties, the results of...

26/ 3,K/ 11

DIALOG(R)File 20:Dialog Global Reporter
(c) 2009 Dialog. All rts. reserv.

02887047

Avesta Technologies IPnetWATCHER Gains Cisco Management Connection
PR NEWSWIRE

September 22, 1998

JOURNAL CODE: WPRW LANGUAGE: English RECORD TYPE: FULLTEXT

WORD COUNT: 655

... software solutions, and can send SNMP trap messages to any platform, SNMP manager or framework. *Pricing* and Availability IPnetWATCHER *pricing* starts at \$5,000 for 40 nodes and up to 6 simultaneous browser clients. It...

Full text NPL files - 2

? show files;ds

File 634:San Jose Mercury Jun 1985-2009/Apr 10

(c) 2009 San Jose Mercury News

File 610:Business Wire 1999-2009/Apr 02

(c) 2009 Business Wire.

File 613:PR Newswire 1999-2009/Apr 14

(c) 2009 PR Newswire Association Inc

File 810:Business Wire 1986-1999/Feb 28

(c) 1999 Business Wire

File 813:PR Newswire 1987-1999/Apr 30

(c) 1999 PR Newswire Association Inc

Set	Items	Description
S1	1463227	REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S2	842754	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S3	236686	REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S4	842754	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S5	50709	IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?)(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
S6	389160	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S7	382504	USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
S8	6565	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S9	769151	NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR INFO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
S10	411	S3(10N)(S4(5N)S5)
S11	21608	S6(5N)S7

S12 1244 S8(5N)S9
 S13 2 S11(10N)S12
 S14 0 S10(S)S13
 S15 12576 S2(S)(S1 OR S3)(S)S4(S)S6
 S16 18 S10(S)S15
 S17 671 S11(S)S15
 S18 2 S12(S)S17
 S19 21 S12(S)S15
 S20 655 S11(10N)S15
 S21 10305 S2(10N)(S1 OR S3)(10N)S4(10N)S6
 S22 559 S11(S)S21
 S23 5871 S2(5N)(S1 OR S3)(5N)S4(5N)S6
 S24 265 S11(5N)S23
 S25 39 S16 OR S18 OR S19
 S26 4 S17(S)(S10 OR S12)
 S27 39 S25 OR S26
 S28 4 S27 NOT (PY> 2000 OR PD= 20000830:20001231)
 S29 4 RD (unique items)

29/ 6/ 1 (Item 1 from file: 610)

00126983 19991026299B1060 (USE FORMAT 7 FOR FULLTEXT)

FranceNet Chooses Micromuse's Netcool Software to Manage Critical Application Services

Tuesday, October 26, 1999 06:58 EDT

WORD COUNT: 644

29/ 6/ 2 (Item 1 from file: 813)

1326742 MNTU013

Medtronic Announces Two Major Milestones In Its Effort To Treat Patients With Heart Failure

DATE: August 18, 1998

WORD COUNT: 838

29/ 6/ 3 (Item 2 from file: 813)

0824654

Your personal computer, with a camera poised on top of the monitor, could be the long-promised videophone. And when you leave the house, pocket-size devices receiving signals from satellites may help you navigate where you are going.

WORD COUNT: 1,424

29/ 6/ 4 (Item 3 from file: 813)

0802337 LA028

**CARAVELLE NETWORKS CORP. LAUNCHES CARAVELLE WATCHER NETWORK
MANAGEMENT FOR
UNDER \$200 U.S. - THE 2ND GENERATION IS HERE!**

DATE: March 28, 1995
WORD COUNT: 368

29/ 3,K/ 2 (Item 1 from file: 813)

DIALOG(R)File 813:PR Newswire

(c) 1999 PR Newswire Association Inc. All rts. reserv.

1326742

MNTU013

Medtronic Announces Two Major Milestones In Its Effort To Treat Patients With Heart Failure

DATE: August 18, 1998 10:02 EDT WORD COUNT: 838

Medtronic Chronicle *Implantable* Hemodynamic *Monitor*

The Chronicle system is designed to provide physicians with *continuous* , quantitative information on the cardiac function of the patient and to indicate changes in the...

... or hospitalization. The new device is similar in appearance and implantation to a pacemaker. Its *sensors* *monitor* blood pressure inside the heart, heart *rate* and activity levels, and give the physician information to assist in tailoring the patient's...

29/ 3,K/ 4 (Item 3 from file: 813)

DIALOG(R)File 813:PR Newswire

(c) 1999 PR Newswire Association Inc. All rts. reserv.

0802337

LA028

**CARAVELLE NETWORKS CORP. LAUNCHES CARAVELLE WATCHER NETWORK MANAGEMENT FOR
UNDER \$200 U.S. - THE 2ND GENERATION IS HERE!**

DATE: March 28, 1995 13:04 EST WORD COUNT: 368

...solution, Caravelle WATCHER. Brilliant in its simplicity, Caravelle WATCHER is a revolutionary way to remotely *monitor* a LAN, WAN or MAN (Municipal area network). Caravelle has broken the *pricing* barrier by *releasing* their entry-*level* *network* *monitoring* and alerting product for under \$200 U.S. Whether managing a few devices, or hundreds of nodes, Caravelle WATCHER puts affordable, *real*-*time* *monitoring* and paging within the reach of all levels of network managers and administrators.

Full text NPL files - 3

? show files;ds

File 369:New Scientist 1994-2009/Mar W5

(c) 2009 Reed Business Information Ltd.

File 370:Science 1996-1999/Jul W3

(c) 1999 AAAS

File 996:Newsroom 2000-2003

(c) 2008 Dialog

File 98:General Sci Abs 1984-2009/Apr

(c) 2009 The HW Wilson Co.

File 75:TGG Management Contents(R) 86-2009/Mar W2

(c) 2009 Gale/Cengage

Set	Items	Description
S1	3634051	REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S2	4402908	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S3	477030	IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
S4	13268618	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S5	4734161	USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
S6	128876	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S7	28483854	IN- NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR FO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
S8	277	S1(10N)(S2(5N)S3)
S9	267282	S4(5N)S5
S10	7378	S6(5N)S7
S11	10	S9(10N)S10
S12	0	S8(S)S11
S13	19	S2(10N)(S1 OR S3)(10N)S4(10N)S6
S14	10	S10(S)S13

S15 199 S2(S)(S1 OR S3)(S)S4(S)S6
 S16 19 S10(S)S15
 S17 28 S14 OR S16
 S18 3 S17 NOT (PY> 2000 OR PD= 20000830:20001231)
 S19 3 RD (unique items)

19/ 3,K/ 1 (Item 1 from file: 370)

DIALOG(R)File 370:Science

(c) 1999 AAAS. All rts. reserv.

00504666 (USE 9 FOR FULLTEXT)

Estimating the Mass of Asteroid 253 Mathilde from Tracking Data During the NEAR Flyby

Yeomans, D. K.; Barriot, J.-P.; Dunham, D. W.; Farquhar, R. W.; Giorgini, J. D.; Helfrich, C. E.; Konopliv, A. S.; McAdams, J. V.; Miller, J. K.; Owen, Jr., W. M.; Scheeres, D. J.; Synnott, S. P.; Williams, B. G.
 D. K. Yeomans, J. D. Giorgini, C. E. Helfrich, A. S. Konopliv, J. K. Miller, W. M. Owen Jr., D. J. Scheeres, S. P. Synnott, B. G. Williams, Navigation and Flight Mechanics Section, Jet Propulsion Laboratory (JPL), California Institute of Technology, Pasadena, CA 91109, USA. ; J.-P. Barriot, Department of Terrestrial and Planetary Geodesy, Centre National d'Etudes Spatiales, Toulouse, France. ; D. W. Dunham, R. W. Farquhar, J. V. McAdams, Applied Physics Laboratory, Johns Hopkins University, Laurel, MD 20723, USA.

Science Vol. 278 5346 pp. 2106

Publication Date: 12-19-1997 (971219) Publication Year: 1997

Document Type: Journal ISSN: 0036-8075

Language: English

Section Heading: Reports

Word Count: 2857

(THIS IS THE FULLTEXT)

...and the stars would move by two pixels between the first and last exposure. The *charge*-coupled device chip in the MSI is a frame transfer device, and one-quarter ...field, where the stray light amounted to 550 +/- 6 DN. The increased background noise made *detection* more difficult and, in effect, raised the minimum detectable star brightness by about one magnitude...

...a possibility for large systematic errors in the flyby solution, errors that the OpNavs can *detect*. Once Mathilde was identified in OpNavs 2 to 6, it became clear that the spacecraft...of a trajectory correction maneuver, which occurred on 18 June, after which the tracking was *continuous* except for 1 hour near closest approach. During each pass, spacecraft Doppler was recorded and...

...The Doppler shift attributable to Mathilde's mass perturbation is evident in the spacecraft tracking *data*, given the *level* of accuracy *seen* in the *data* residuals (Fig. 2...

19/ 3,K/ 2 (Item 1 from file: 996)

DIALOG(R)File 996:Newsroom 2000-2003

(c) 2008 Dialog. All rts. reserv.

0049003834 151203RT

Be prepared when meeting the relations Customer Relationship Management is the new buzzword on the street, but what is it all about and how does a company make it work? Dan Harrington offers a few handy, insightful tips to help marketers in their strategies

PRECISION MARKETING

Monday, April 3, 2000

JOURNAL CODE: AKLJ LANGUAGE: ENGLISH RECORD TYPE: Fulltext

DOCUMENT TYPE: Trade Journal ISSN: 0955-0836

WORD COUNT: 1,675

TEXT:

...you are going to store The information must all be integrated and have a 360 *degree* *view*, ie. all *data* can be viewed from anywhere in the system. This can only happen in a database...

...It must be able to traverse and integrate with all channels and it must be *real*-*time*. The decision making it will handle will be complex and the system must be powerful...

...that suit each customer personally. Recognising and responding to signals marketing agent The ability to *detect* the events which signal changes in customer behaviour and react in *real*-*time* to them is a strong business weapon. Whether a customer has changed address, paid in a large deposit or cancelled a deal, analysing and *monitoring* these changes provides the knowledge base upon which to make quick and timely business decisions. Sophisticated event *detection*, the ability to prioritise diverse communications within channels including the Web, call centres, ATMs, kiosks...

19/ 3,K/ 3 (Item 2 from file: 996)

DIALOG(R)File 996:Newsroom 2000-2003

(c) 2008 Dialog. All rts. reserv.

0005512337 14YC0E1J

TRANSMISSION TWEAKING: Taking Satellite Network Performance to New Heights

Peter J. Brown

VIA SATELLITE

Monday, January 10, 2000

JOURNAL CODE: ALDC LANGUAGE: ENGLISH RECORD TYPE: Fulltext

DOCUMENT TYPE: Trade Journal ISSN: 1041-0643

WORD COUNT: 6,239

...It is routed normally, and it uses a rotating key system. This Irde to conditional access *system* is not a conventional PID-*level* *access* control *system*," Kokaska says. "We have provided the integration hooks. All the subscriber management tools are ...router is, and they also have server farms so they want to generate high-bit-*rate* traffic. It does not matter if the traffic is unicast or multicast, TCP or UDP...

...that the issue of voice quality is a big part of achieving low customer churn *rates* for both the wireline and wireless telephony market," Hult says.

Full text NPL files - 4

? show files;ds

File 149:TGG Health&Wellness DB(SM) 1976-2009/Mar W3

(c) 2009 Gale/Cengage

File 444:New England Journal of Med. 1985-2009/Dec W4

(c) 2009 Mass. Med. Soc.

File 9:Business & Industry(R) Jul/1994-2009/Apr 11

(c) 2009 Gale/Cengage

File 13:BAMP 2009/Apr 08

(c) 2009 Gale/Cengage

File 15:ABI/Inform(R) 1971-2009/Apr 11

(c) 2009 ProQuest Info&Learning

Set Items Description

- S1 1456321 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-RANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONI-TOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
- S2 407257 REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
- S3 1456321 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-RANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONI-TOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
- S4 113617 IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMB-ED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-)(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIO-R?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
- S5 865643 PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVO-ICES OR INVOICED OR RATE OR RATES
- S6 724907 USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPAT-IENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PA-RTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
- S7 35199 (ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OP-EN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETR-IEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GR-ADE OR GRADES)
- S8 1299748 NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR IN-FO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
- S9 283 S2(10N)(S3(5N)S4)
- S10 75974 S5(5N)S6
- S11 2788 S7(5N)S8
- S12 4 S10(10N)S11

S13 0 S9(S)S12
 S14 633 S2(S)(S1 OR S3)(S)S4(S)S6
 S15 1160 S5(5N)S7
 S16 0 S14(S)S15
 S17 2046 S5(10N)S7
 S18 2 S14(S)S17
 S19 264085 S5(7N)(S7 OR S8)
 S20 71 S14(S)S19
 S21 14 S20 NOT (PY>2000 OR PD=20000830:20001231)
 S22 13 RD (unique items)

22/ 6/ 1 (Item 1 from file: 149)

01903125 SUPPLIER NUMBER: 61888317 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Syndrome of Inappropriate Antidiuretic Hormone Secretion: Recognition and Management.
 2000
 WORD COUNT: 4510 LINE COUNT: 00436

22/ 6/ 2 (Item 2 from file: 149)

01725960 SUPPLIER NUMBER: 19911438 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Accuracy of levelling intraventricular collection drainage systems.
 1997
 WORD COUNT: 4122 LINE COUNT: 00420

22/ 6/ 3 (Item 3 from file: 149)

01253825 SUPPLIER NUMBER: 08872008 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Surgical treatment of epilepsy.
 1990
 WORD COUNT: 1401 LINE COUNT: 00166

22/ 6/ 4 (Item 1 from file: 9)

01375689 Supplier Number: 24037884
Microsoft Announces Windows CE 2.0
 September 29, 1997
 WORD COUNT: 481

22/ 6/ 5 (Item 2 from file: 9)

01361015 Supplier Number: 24002779
PeopleSoft 7 To Be Intro'd Today, Web Client, 3-Tier Options
 August 25, 1997
 WORD COUNT: 1029

22/ 6/ 6 (Item 3 from file: 9)

01284905 Supplier Number: 23930863
Toshiba Debuts New Digital Still Camera
June 16, 1997
WORD COUNT: 615

22/ 6/ 7 (Item 4 from file: 9)
00672120 Supplier Number: 23236698 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**ECHELON's LONWORKS WILL BE KEY TO CUTTING ELECTRICITY BILLS FOR UK
HOUSEHOLDERS**
June 28, 1995
WORD COUNT: 1105

22/ 6/ 8 (Item 5 from file: 9)
00538146 Supplier Number: 23009231 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**PEEK BUILDS UP TO PEAK PERFORMANCE AS LEADER IN THE TRAFFIC
MANAGEMENT
WORLD**
January 26, 1994
WORD COUNT: 1095

22/ 6/ 9 (Item 1 from file: 13)
00557365 Supplier Number: 23981455 (USE FORMAT 7 OR 9 FOR FULLTEXT)
A New Approach to Telecoms Network Management
August 1997
WORD COUNT: 2024

22/ 6/ 10 (Item 1 from file: 15)
02401986 116360042
** USE FORMAT 7 OR 9 FOR FULL TEXT**
**The value of an outcomes information resource An evaluation of the UK
Clearing House on Health Outcomes**
1996
WORD COUNT: 4271

22/ 6/ 11 (Item 2 from file: 15)
02033622 53769907
** USE FORMAT 7 OR 9 FOR FULL TEXT**
Wireless integrated network sensors
May 2000 LENGTH: 8 Pages
WORD COUNT: 4910

22/ 6/ 12 (Item 3 from file: 15)

01820376 04-71367

* * USE FORMAT 7 OR 9 FOR FULL TEXT* *

The future begins on the floor

Apr 1999 LENGTH: 4 Pages

WORD COUNT: 2970

22/ 6/ 13 (Item 4 from file: 15)

01784690 04-35681

* * USE FORMAT 7 OR 9 FOR FULL TEXT* *

Where in the world

Mar/Apr 1999 LENGTH: 8 Pages

WORD COUNT: 2603

22/ 3,K/ 5 (Item 2 from file: 9)

DIALOG(R)File 9:Business & Industry(R)

(c) 2009 Gale/Cengage. All rts. reserv.

01361015 Supplier Number: 24002779

PeopleSoft 7 To Be Intro'd Today, Web Client, 3-Tier Options

(PeopleSoft to introduce the PeopleSoft 7 upgrade that features integration of Tuxedo and OLAP as well as the ability to use a Web browser as a client)

Newsbytes News Network, p N/A

August 25, 1997

DOCUMENT TYPE: Journal (United States)

LANGUAGE: English RECORD TYPE: Fulltext

WORD COUNT: 1029

TEXT:

...a three-tier architecture; the ability to use a World Wide Web browser as a *client*; integration of Tuxedo and OLAP (online analytical processing); a new corporate development environment; and several...

...choice between two-tier and three-tier architectures, and between Web and 32-bit Windows *clients*. Corporate developers, he noted, will be able to continue configuring PeopleSoft as a two-tier architecture, in which the *client* talks directly to a Windows NT, Unix, or MVS mainframe database server. Alternatively, though, PeopleSoft has now added an optional application server, for allowing "the highest numbers of simultaneously connected *users*" via server "multiplexing," Newsbytes was told. PeopleSoft's new application server will run on Windows NT and multivendor Unix, and will be *embedded* with BEA's Tuxedo software for TCP/IP (Transmission Control Protocol/Internet Protocol) messaging, load balancing, failover, restarts, and Tuxedo *monitoring* and logging. PeopleSoft will continue to support a range of RDBMS (relational database management systems...

...three- tier option, and for the DB2 for MVS database. With the newly available Web *client*, he predicted, corporations will now be able to "widen (applications) access to a much larger public." End *users* will be able to expand the capabilities of standard Web browsers for use as PeopleSoft *clients* by downloading a Java applet from a PeopleSoft application server, the VP continued. The Java...

...Java Online Transaction Processing), according to Swete. Also in version 7, PeopleSoft's conventional Windows *client* will be *embedded* with a piece of thin software enabling similar functionality, he maintained. " *Users* with Web *clients* will be able to run the same transactions and queries as *users* with Windows *clients*, and to access (PeopleSoft's) workflow system through Worklist," said Swete. The new Web *client*, however, will use a different navigational system than the Windows menuing

system, he elaborated. Under the Windows *client* scenario, both presentation logic and "interactive logic" will reside on the *client*. Processing logic will *live* on the application server, and database logic on the database server. Web *clients*, on the other hand, will be provided with only presentation logic. Interactive and processing logic...

...Panel Designer, developers will be able to assign panel definitions for both Web and Windows *clients*, Newsbytes was told. PeopleSoft 7 corporate developers will be able to produce applications accessible to both Web and Windows *clients*, as well as applications for "mixed" two- and three-tier architectures. In another enhancement for...

...tool. PeopleSoft intends to bundle a PowerPlay starter set with each PeopleSoft applications, with additional *user* licenses available for resale on request. But also with version 7, PeopleSoft will offer the...

...as an ODBC driver, registered to all Microsoft Windows applications that also support ODBC End *users* will be able to access and work with PeopleSoft through the OLAP tools, while being...

...features in the Red Pepper supply chain arena.. In conjunction with PeopleSoft's new Web *client* option, PeopleSoft's new Universal Applications will allow for new "self-service" applications over the...

...was told. "And now, you get Tuxedo built-in, free of charge," the VP observed. *Pricing* starts at \$100,000 per application. More *information* about PeopleSoft is available on the Web at <http://www.peoplesoft.com> . (19970824/Press Contacts...

22/ 3,K/ 9 (Item 1 from file: 13)

DIALOG(R)File 13:BAMP

(c) 2009 Gale/Cengage. All rts. reserv.

00557365 Supplier Number: 23981455 (USE FORMAT 7 OR 9 FOR FULLTEXT)

A New Approach to Telecoms Network Management

(Network management must cover all aspects of network performance, including real-time network management, network monitoring, and system integration, as well as commercial and legal issues)

Article Author(s): Hershey, Paul; Sillio, Charles

Telecommunications International Edition, v 31, n 6, p 53-54+

August 1997

DOCUMENT TYPE: Journal ISSN: 0278-4831 (United States)

LANGUAGE: English RECORD TYPE: Fulltext; Abstract

WORD COUNT: 2024

(USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:

...to manage the network and to provide the best possible quality of service to end *users*. The problem of *real*-*time* network management encompasses both *real*-*time* *monitoring* and *real*-*time* response. *Real*-*time* *monitoring* consists of the extraction, processing, *collection*, and presentation of dynamic *information* about the operation of a communications system. Figure 1 shows the relative times required to...

...network conditions. The major reasons for these deficiencies are limited disk storage capacity and limited *real*-*time* processing capabilities of *embedded* processors.

22/ 3,K/ 10 (Item 1 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rts. reserv.

02401986 116360042

The value of an outcomes information resource An evaluation of the UK Clearing House on Health Outcomes

Greenhalgh, Joanne; Long, Andrew F.; Brett, Alison; Grant, Maria J.

Journal of Management in Medicine v10n5 PP: 55 1996

ISSN: 0268-9235 JRNL CODE: MIM

WORD COUNT: 4271

...TEXT: is an urgent need for research and practice-based work which demonstrates that the systematic *collection* and use of (emerging) outcomes *data*, both at an individual *patient* care and a population/aggregate level, makes a difference to the quality of care provided to *patients* and to the purchase of services. Such studies would revitalize the "outcomes revolution" and in the very area that is needed - the *monitoring* and exploration of outcomes within routine clinical practice.

22/ 3,K/ 11 (Item 2 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rts. reserv.

02033622 53769907

Wireless integrated network sensors

Pottie, G J; Kaiser, W J

Association for Computing Machinery. Communications of the ACM v43n5 PP: 51-58 May 2000

ISSN: 0001-0782 JRNL CODE: GACM

WORD COUNT: 4910

...TEXT: wireline sensor and actuator systems.

WINS opportunities depend on development of a scalable, low-cost, * sensor* -network architecture. Such applications require delivery of * sensor* * information* to the * user* at a low bit * rate* through low-power transceivers. * Continuous* * sensor* signal processing enables the constant * monitoring* of events in an environment in which short message packets would suffice. Future applications of distributed * embedded* processors and * sensors* will require vast numbers of devices. Conventional methods of * sensor* networking represent an impractical demand on cable installation and network bandwidth. Processing at the source...

22/ 3,K/ 12 (Item 3 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rts. reserv.

01820376 04-71367

The future begins on the floor

Truman, Earl; Draghi, Paul

Manufacturing Systems v17n4 PP: 89-94 Apr 1999

ISSN: 0748-948X JRNL CODE: MFS

WORD COUNT: 2970

...TEXT: form of SQL Server, as the system's scope expanded. While IndustrialSQL works like SQL * Server*, it adds extensions for high-speed * data* * collection* and * data* compression, providing higher throughput of real-time data. The system designed by the ISE and...

...all applications the same look and feel so anyone can use any workstation and the * user* interface is familiar. Any job can be * monitored* from any of the workstations. Also, since the system uses an ODBC-compliant database, other tools can be used to query the database on a * real* - * time* basis from anywhere on the LAN or WAN.

22/ 3,K/ 13 (Item 4 from file: 15)

DIALOG(R)File 15:ABI/Inform(R)

(c) 2009 ProQuest Info&Learning. All rts. reserv.

01784690 04-35681

Where in the world

Martello, Norman; Blume, Eric R

Electric Perspectives v24n2 PP: 14-24 Mar/Apr 1999

ISSN: 0364-474X JRNL CODE: ELP

WORD COUNT: 2603

...ABSTRACT: means to determine precise latitude, longitude, altitude, and velocity. It does this with a worldwide * system* of satellites, providing

24-hour coverage without *charge* to the *users*. Because it is a broadcast-only radio system, it can have an unlimited number of...

...military planners. GPS timing synchronizes power plant generators to provide electrical phase matching and fault *detection* throughout power grids in the US. Keeping accurate records of an electric distribution system's...

...technological trends that have been the impetus to new GPS applications. The first is a *continuous* 30% per year decline in the cost, power use, and size of the electronics hardware necessary to exploit GPS signals. The second trend is the use of *embedded* software.

Full text NPL files - 5

? show files;ds

File 16:Gale Group PROMT(R) 1990-2009/Mar 23

(c) 2009 Gale/Cengage

File 47:Gale Group Magazine DB(TM) 1959-2009/Apr 02

(c) 2009 Gale/Cengage

File 148:Gale Group Trade & Industry DB 1976-2009/Mar 31

(c) 2009 Gale/Cengage

File 160:Gale Group PROMT(R) 1972-1989

(c) 1999 The Gale Group

File 275:Gale Group Computer DB(TM) 1983-2009/Mar 18

(c) 2009 Gale/Cengage

Set Items Description

S1 3593460 REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING
OR CONSTANT??(2N)UPDAT??? OR LIVE

S2 3319271 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-
RANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONI-
TOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING -
OR TRANSDUC? OR DETECT???

S3 651685 IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMB-
ED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-
) (2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIO-
R?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???

S4 11393607 PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR
COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES
OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVO-
ICES OR INVOICED OR RATE OR RATES

S5 7366198 USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPAT-
IENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PA-
RTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR
RECIPIENT OR RECIPIENTS

S6 122841 (ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OP-
EN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETR-
IEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GR-
ADE OR GRADES)

S7 24028080 NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR
IN-

FO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR
REPORTS OR RESULT OR RESULTS OR SYSTEM

S8 948 S1(10N)(S2(5N)S3)

S9 436220 S4(5N)S5

S10 16312 S6(5N)S7

S11 50 S9(10N)S10

S12 0 S8(S)S11

S13 104904 S2(S)(S4(10N)(S6 OR S7))

S14 4892 S9(S)S13

S15 50 S10(S)S13
S16 2 S10(S)S14
S17 0 S8(S)S14
S18 26 S15 NOT (PY>2000 OR PD= 20000830:20001231)
S19 22 RD (unique items)

19/ 6/ 1 (Item 1 from file: 16)
07044863 Supplier Number: 57769195 (USE FORMAT 7 FOR FULLTEXT)
Appeal of VSAT networks expands.(Technology Information)
June, 1999
Word Count: 926

19/ 6/ 2 (Item 2 from file: 16)
05724585 Supplier Number: 50200364 (USE FORMAT 7 FOR FULLTEXT)
INTECO Announces New Online Finance Monitor Service.
July 27, 1998
Word Count: 480

19/ 6/ 3 (Item 3 from file: 16)
05538072 Supplier Number: 48395087 (USE FORMAT 7 FOR FULLTEXT)
MANAGED CARE HAMPER'S USE OF NEW BLOOD-LEAD MONITOR FOR CHILDREN
April 1, 1998
Word Count: 447

19/ 6/ 4 (Item 4 from file: 16)
05410956 Supplier Number: 48209868 (USE FORMAT 7 FOR FULLTEXT)
Storage: IBM Sets New Disk-Drive World Record; Surpasses 10 Billion Bits Per Square Inch
Jan 5, 1998
Word Count: 676

19/ 6/ 5 (Item 5 from file: 16)
05392211 Supplier Number: 48197667 (USE FORMAT 7 FOR FULLTEXT)
IBM Sets New Disk-Drive World Record; Surpasses 10 Billion Bits Per Square Inch.
Dec 30, 1997
Word Count: 711

19/ 6/ 6 (Item 6 from file: 16)
04547693 Supplier Number: 46683706 (USE FORMAT 7 FOR FULLTEXT)
RACAL INTRODUCES MULTI FUNCTION FRAME RELAY ACCESS SYSTEMS
Sept 4, 1996
Word Count: 1212

19/ 6/ 7 (Item 7 from file: 16)

04547040 Supplier Number: 46682756 (USE FORMAT 7 FOR FULLTEXT)

**Kaspia Revolutionizes Network Management With Automated Discovery,
Monitoring and In-Depth Reporting Software**

Sept 3, 1996

Word Count: 889

19/ 6/ 8 (Item 8 from file: 16)

04408175 Supplier Number: 46467165 (USE FORMAT 7 FOR FULLTEXT)

Messaging Stand-Off

June 15, 1996

Word Count: 3926

19/ 6/ 9 (Item 9 from file: 16)

02491325 Supplier Number: 43291505 (USE FORMAT 7 FOR FULLTEXT)

Davy wins China Steel contract

Sept 11, 1992

Word Count: 134

19/ 6/ 10 (Item 10 from file: 16)

02007524 Supplier Number: 42577125 (USE FORMAT 7 FOR FULLTEXT)

NEW PLC, I/ O SYSTEM OPTS FOR OPEN ARCHITECTURE

Dec 6, 1991

Word Count: 611

19/ 6/ 11 (Item 1 from file: 47)

03703527 SUPPLIER NUMBER: 11948223 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Processing is the bottleneck. (IBM's new network architecture)

Feb, 1992

WORD COUNT: 499 LINE COUNT: 00041

19/ 6/ 12 (Item 1 from file: 148)

0019741516 SUPPLIER NUMBER: 54664072 (USE FORMAT 7 OR 9 FOR FULL
TEXT)

**IBM: 20 billion bits per square inch -- IBM sets new disk-drive world
record.**

May 17, 1999

WORD COUNT: 766 LINE COUNT: 00064

19/ 6/ 13 (Item 2 from file: 148)

10519223 SUPPLIER NUMBER: 21167850 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Metals industry envelopes itself in info age.
Sept 22, 1998
WORD COUNT: 1905 LINE COUNT: 00153

19/ 6/ 14 (Item 3 from file: 148)
09912595 SUPPLIER NUMBER: 20061282 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Andromedia Announces ARIA 2.5, the Highest Performance "Logless" Web Site Activity Tracking Software and Architecture Available for the Enterprise.
Dec 8, 1997
WORD COUNT: 1014 LINE COUNT: 00095

19/ 6/ 15 (Item 4 from file: 148)
09367148 SUPPLIER NUMBER: 19210126 (USE FORMAT 7 OR 9 FOR FULL TEXT)
The use of village agents in rural credit delivery.
Dec, 1996
WORD COUNT: 10783 LINE COUNT: 00870

19/ 6/ 16 (Item 5 from file: 148)
08124425 SUPPLIER NUMBER: 17389671 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Plastics technology: manufacturing handbook & buyers' guide 1995/ 96.(Buyers Guide)
August, 1995
WORD COUNT: 174436 LINE COUNT: 15187

19/ 6/ 17 (Item 6 from file: 148)
07758029 SUPPLIER NUMBER: 16730158 (USE FORMAT 7 OR 9 FOR FULL TEXT)
CARAVELLE NETWORKS CORP. LAUNCHES CARAVELLE WATCHER NETWORK MANAGEMENT FOR UNDER \$200 U.S. - THE 2ND GENERATION IS HERE!
March 28, 1995
WORD COUNT: 404 LINE COUNT: 00034

19/ 6/ 18 (Item 7 from file: 148)
06129394 SUPPLIER NUMBER: 12623523 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Davy wins China Steel contract. (Davy Sheffield, China Steel Corp. of Taiwan) (Brief Article)
Sept 11, 1992
WORD COUNT: 166 LINE COUNT: 00020

19/ 6/ 19 (Item 8 from file: 148)
04802569 SUPPLIER NUMBER: 09239665 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Capacitance and inductance. (pages 86-89 and appendix A2-A4) (excerpt from

Basic Electronics for Hydraulic Motion Control)

July, 1990

WORD COUNT: 1727 LINE COUNT: 00141

19/ 6/ 20 (Item 1 from file: 160)

02484945

SynOptics Communications -- New Product Shipments

November 7, 1989

19/ 6/ 21 (Item 2 from file: 160)

00506986

Bubble boards that plug directly into standard Intel Multibus memory systems have been developed by Plessey Microsystems Ltd (Northants, England).

September 13, 1979

19/ 6/ 22 (Item 1 from file: 275)

02192751 SUPPLIER NUMBER: 20175290 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Storage: IBM sets new disk-drive world record; Surpasses 10 billion bits per square inch. (Company Business and Marketing)

Jan 5, 1998

WORD COUNT: 720 LINE COUNT: 00061

19/ 3,K/ 1 (Item 1 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)

(c) 2009 Gale/Cengage. All rts. reserv.

07044863 Supplier Number: 57769195 (USE FORMAT 7 FOR FULLTEXT)

Appeal of VSAT networks expands.(Technology Information)

Palmer, Grant

Communications News, v36, n6, p38

June, 1999

Language: English Record Type: Fulltext Abstract

Document Type: Magazine/Journal; Trade

Word Count: 926

... telecom managers are bound to discover, prices rise dramatically when you try to bump the *data* *rate* on a terrestrial Frame Relay connection above 56 kbps. Raising the *data* *rate* to the next available level can triple the cost of the service. It's easy to conclude that bumping the *data* *rate* does not make economic *sense*, since the price hike exceeds the cost of adding a VSATback-up solution. A VSAT...

...the bandwidth requirements to the applications, thus avoiding the need to bump the Frame Relay *network* to the next highest *level*.

A *look* at the actual routing of *data* in a typical hybrid network reveals VSAT's inherent flexibility. In the figure, the VSAT...

19/ 3,K/ 20 (Item 1 from file: 160)

DIALOG(R)File 160:Gale Group PROMT(R)

(c) 1999 The Gale Group. All rts. reserv.

02484945

SynOptics Communications -- New Product Shipments

S1 SEC Registration November 7, 1989 p. N/A

... modules. The new version of the Network Management software, when used in conjunction with the *System* 3000 Series platform, provides *data* *collection* at the concentrator and individual node level. This enable *network* managers to *monitor* and control individual Ethernet network connections based on MAC-level parameters and statistics. The MAC (Media *Access* Control) *level* is a *data* link sublayer which controls access to the network cabling system by deciding when to transmit...

Full text NPL files - 6

? show files;ds

File 621:Gale Group New Prod.Annou.(R) 1985-2009/Mar 10

(c) 2009 Gale/Cengage

File 635:Business Dateline(R) 1985-2009/Apr 11

(c) 2009 ProQuest Info&Learning

File 636:Gale Group Newsletter DB(TM) 1987-2009/Mar 23

(c) 2009 Gale/Cengage

File 135:NewsRx Weekly Reports 1995-2009/Mar W4

(c) 2009 NewsRx

File 249:Mgt. & Mktg. Abs. 1976-2007Apr W5

(c) 2007 Pira International

Set Items Description

- S1 1472358 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-RANSPOUND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONTOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
- S2 314071 REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
- S3 1472358 MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR T-RANSPOUND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONTOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
- S4 76760 IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?-(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
- S5 653089 PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
- S6 642788 USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
- S7 9708 (ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???) (2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
- S8 1340055 NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR INFO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
- S9 498 S2(10N)(S3(5N)S4)
- S10 41744 S5(5N)S6
- S11 1551 S7(5N)S8
- S12 2 S10(10N)S11

S13 0 S9(S)S12
 S14 44043 S3(S)(S5(10N)(S7 OR S8))
 S15 14 S9(S)S14
 S16 29 S11(S)S14
 S17 2517 S10(S)S14
 S18 43 S15 OR S16
 S19 17 S18 NOT (PY>2000 OR PD=20000830:20001231)
 S20 16 RD (unique items)

20/ 6/ 1 (Item 1 from file: 621)
 01682581 Supplier Number: 50200364 (USE FORMAT 007 FOR FULLTEXT)
INTECO Announces New Online Finance Monitor Service.
 July 27, 1998
 Word Count: 480

20/ 6/ 2 (Item 2 from file: 621)
 01594599 Supplier Number: 48197667 (USE FORMAT 007 FOR FULLTEXT)
IBM Sets New Disk-Drive World Record; Surpasses 10 Billion Bits Per Square Inch.
 Dec 30, 1997
 Word Count: 711

20/ 6/ 3 (Item 3 from file: 621)
 01422694 Supplier Number: 46683706 (USE FORMAT 007 FOR FULLTEXT)
RACAL INTRODUCES MULTI FUNCTION FRAME RELAY ACCESS SYSTEMS
 Sept 4, 1996
 Word Count: 1212

20/ 6/ 4 (Item 4 from file: 621)
 01180632 Supplier Number: 42577125 (USE FORMAT 007 FOR FULLTEXT)
NEW PLC, I/ O SYSTEM OPTS FOR OPEN ARCHITECTURE
 Dec 6, 1991
 Word Count: 611

20/ 6/ 5 (Item 1 from file: 635)
 0842149 98-02500
Corporate profile for CRL Network Services
 PUBL DATE: 970829
 WORD COUNT: 332

20/ 6/ 6 (Item 1 from file: 636)
 04174988 Supplier Number: 54664072 (USE FORMAT 7 FOR FULLTEXT)
IBM: 20 billion bits per square inch -- IBM sets new disk-drive world

record.

May 17, 1999

Word Count: 720

20/ 6/ 7 (Item 2 from file: 636)

04018599 Supplier Number: 53236117 (USE FORMAT 7 FOR FULLTEXT)

American Companies in Japan: SOFTWARE AND INFORMATION SERVICES.

Sept 30, 1998

Word Count: 4305

20/ 6/ 8 (Item 3 from file: 636)

03877917 Supplier Number: 48469866 (USE FORMAT 7 FOR FULLTEXT)

Senate Bills

May 6, 1998

Word Count: 644

20/ 6/ 9 (Item 4 from file: 636)

03857197 Supplier Number: 48395087 (USE FORMAT 7 FOR FULLTEXT)

MANAGED CARE HAMPER USE OF NEW BLOOD-LEAD MONITOR FOR CHILDREN

April 1, 1998

Word Count: 447

20/ 6/ 10 (Item 5 from file: 636)

03799507 Supplier Number: 48237412 (USE FORMAT 7 FOR FULLTEXT)

IBM Proclaims Disk Drive Storage Record

Jan 20, 1998

Word Count: 459

20/ 6/ 11 (Item 6 from file: 636)

03790436 Supplier Number: 48213355 (USE FORMAT 7 FOR FULLTEXT)

IBM DOUBLES HARD DISK STORAGE CAPACITY RECORD

Jan 7, 1998

Word Count: 560

20/ 6/ 12 (Item 7 from file: 636)

03789473 Supplier Number: 48209868 (USE FORMAT 7 FOR FULLTEXT)

Storage: IBM Sets New Disk-Drive World Record; Surpasses 10 Billion Bits Per Square Inch

Jan 5, 1998

Word Count: 676

20/ 6/ 13 (Item 8 from file: 636)

03778660 Supplier Number: 48181850 (USE FORMAT 7 FOR FULLTEXT)

ANDROMEDIA: Andromedia announces ARI A 2.5

Dec 16, 1997

Word Count: 975

20/ 6/ 14 (Item 9 from file: 636)

02626843 Supplier Number: 45316617 (USE FORMAT 7 FOR FULLTEXT)

**Internet - Security for the Corporate User Securing Corporate Connections
to the Internet**

Feb 6, 1995

Word Count: 4426

20/ 6/ 15 (Item 10 from file: 636)

02562644 Supplier Number: 45172523 (USE FORMAT 7 FOR FULLTEXT)

SECURITY IS AS SIMPLE AS ONE TWO

Dec, 1994

Word Count: 1911

20/ 6/ 16 (Item 11 from file: 636)

01252411 Supplier Number: 41319659 (USE FORMAT 7 FOR FULLTEXT)

"Smart skins"

May 7, 1990

Word Count: 98

20/ 3,K/ 1 (Item 1 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)

(c) 2009 Gale/Cengage. All rts. reserv.

01682581 Supplier Number: 50200364 (USE FORMAT 007 FOR FULLTEXT)

INTECO Announces New Online Finance Monitor Service.

Business Wire, p07271457

July 27, 1998

Language: English Record Type: Fulltext

Article Type: Article

Document Type: Newswire; Trade

Word Count: 480

... Information for INTECO's Online Finance *Monitor* is compiled by veteran researchers who present themselves as potential customers and collect *information* about online offerings, *pricing*, distribution channels and functionality. Researchers work from carefully designed templates to assure that the information...

...s Web site. The same organizations are covered in each quarterly wave, allowing Online Finance *Monitor* *results* to show industry trends in services and *pricing*. INTECO analysts then process the *information*, adding valuable insight based on their familiarity with the financial services industry as well as their *access* to consumer *level* *data*, which INTECO constantly gathers as part of its other marketing intelligence services.

20/ 3,K/ 13 (Item 8 from file: 636)

DIALOG(R)File 636:Gale Group Newsletter DB(TM)

(c) 2009 Gale/Cengage. All rts. reserv.

03778660 Supplier Number: 48181850 (USE FORMAT 7 FOR FULLTEXT)

ANDROMEDIA: Andromedia announces ARI A 2.5

M2 Presswire, pN/A

Dec 16, 1997

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 975

... Since 1996, Andromedia has offered the industry's only truly scaleable and automated *data* collection, processing, and reporting solution, ARIA. The latest ARIA *release* adds *network*-*level* *monitoring*, dynamic web site tracking, trend analysis and data mining capabilities, as well as real-time...

Full text NPL files - 7

? show files;ds

File 624:McGraw-Hill Publications 1985-2009/Apr 14

(c) 2009 McGraw-Hill Co. Inc

File 485:Accounting & Tax DB 1971-2009/Apr W1

(c) 2009 ProQuest Info&Learning

File 56:Computer and Information Systems Abstracts 1966-2009/Apr

(c) 2009 CSA.

File 441:ESPICOM Pharm&Med DEVICE NEWS 2009/Jan W4

(c) 2009 ESPICOM Bus.Intell.

File 95:TEME-Technology & Management 1989-2009/Mar W3

(c) 2009 FIZ TECHNIK

Set	Items	Description
S1	563981	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S2	70047	REALTIME OR (REAL OR ACTUAL)()TIME OR CONTINUOUS OR ONGOING OR CONSTANT??(2N)UPDAT??? OR LIVE
S3	563981	MONITOR??? OR SENSOR? OR BIOTELEMET? OR BIO()TELEMET? OR TRANSPOND?? OR TRANSCEIVER OR TRANSMIT?(5N)RECEIV? OR TELEMONITOR??? OR TELESENS?R? OR MEDICAL()DEVICE OR SENSE OR SENSING - OR TRANSDUC? OR DETECT???
S4	19996	IMPLANTED OR IMPLANT?BLE OR INSERTED OR IMD OR IMDS OR EMBED? OR IMBED? OR INTRACORPOR? OR (BENEATH? OR BELOW OR UNDER?)(2N)(SKIN? OR DERM?) OR (WITHIN OR INSIDE OR "IN" OR INTERIOR?)(2W)(ABDOMEN? OR BODY) OR INTRA()CORPOR???
S5	159064	PRICING OR CHARG??? OR REVENUE OR PAY??? OR COMPENSAT??? OR COLLECTION OR COLLECTIONS OR PAYMENT OR MONETI?E OR MONETI?ES OR MONETI?ED OR MONETI?ING OR FEE OR FEES OR INVOICE OR INVOICES OR INVOICED OR RATE OR RATES
S6	98958	USER OR USERS OR PATIENT OR PATIENTS OR INPATIENT OR INPATIENTS OR OUTPATIENT OR OUTPATIENTS OR CLIENT OR CLIENTS OR PARTICIPANT OR PARTICIPANTS OR PARTICIPAT?R OR PARTICIPAT?RS OR RECIPIENT OR RECIPIENTS
S7	2198	(ACCESS OR LOOK??? OR SEE??? OR READ??? OR UNLOCK??? OR OPEN??? OR UNSEAL??? OR RELEAS??? OR VIEW?? OR BROWS??? OR RETRIEV???)(2N)(LEVEL OR TIER OR TIERS OR DEGREE OR DEGREES OR GRADE OR GRADES)
S8	425661	NETWORK OR COMPUTER OR SERVER OR INFORMATION OR DATA OR INFO OR FACTS OR RECORD OR RECORDS OR FILE OR FILES OR REPORT OR REPORTS OR RESULT OR RESULTS OR SYSTEM
S9	200	S2(10N)(S3(5N)S4)
S10	9455	S5(5N)S6
S11	246	S7(5N)S8
S12	0	S10(10N)S11

S13 0 S9(S)S12
 S14 18951 S3(S)(S5(10N)(S7 OR S8))
 S15 11 S9(S)S14
 S16 8 S11(S)S14
 S17 12 S9(2S)S14
 S18 8 S11(2S)S14
 S19 615 S10(S)S14
 S20 5362 S3(10N)(S5(5N)(S7 OR S8))
 S21 150 S10(S)S20
 S22 103 S10(5N)S20
 S23 123 S15 OR S16 OR S17 OR S18 OR S22
 S24 51 S23 NOT (PY> 2000 OR PD= 20000830:20001231)
 S25 51 RD (unique items)

25/ 6/ 1 (Item 1 from file: 624)

01086245

SMALL IS BOUNTIFUL: Merrill is courting business owners--and gaining assets

May 22, 2000

WORD COUNT: 688

25/ 6/ 2 (Item 2 from file: 624)

0623560

NASA picks eight commercial remote sensing projects

December 8, 1994

WORD COUNT: 192

25/ 6/ 3 (Item 3 from file: 624)

0374959

DATA DISCOUNT

April 13, 1992

WORD COUNT: 65

25/ 6/ 4 (Item 4 from file: 624)

0114013

PC manages data-gathering

March 9, 1989

WORD COUNT: 226

25/ 6/ 5 (Item 5 from file: 624)

0008013

Developments to Watch

October 14, 1985

WORD COUNT: 924

25/ 6/ 6 (Item 1 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00769768 SUPPLIER NUMBER: 53786598

Opportunities and pitfalls for US asset-based lenders in Europe

WORD COUNT: 2973 LINE COUNT: 270

May/Jun 2000

25/ 6/ 7 (Item 2 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00663242

Equipped for the future WORD COUNT: 1457 LINE COUNT: 132

Mar 1998

25/ 6/ 8 (Item 3 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00573677

Allocating the cost of accounting for computer services WORD COUNT: 1732

LINE COUNT: 157

Jun 1996

25/ 6/ 9 (Item 4 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00479751

United States - Mexico income tax convention WORD COUNT: 93217

LINE COUNT: 8,474

Aug 22, 1994

25/ 6/ 10 (Item 5 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00439003

Managing the network revenue stream WORD COUNT: 1337 LINE COUNT: 122

Nov 29, 1993

25/ 6/ 11 (Item 6 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00425244

1993 industry update: Trends in cash management WORD COUNT: 2375

LINE COUNT: 216

Sep/Oct 1993

25/ 6/ 12 (Item 7 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00408241

Does practice management software meet users' expectations? Can it?

WORD COUNT: 751 LINE COUNT: 68

May 24, 1993

25/ 6/ 13 (Item 8 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00403453

Managed care: Past evidence and potential trends WORD COUNT: 14283

LINE COUNT: 1,298

Spring 1993

25/ 6/ 14 (Item 9 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00402145

How to choose a collection agency - Part 2 WORD COUNT: 1132

LINE COUNT: 103

1993

25/ 6/ 15 (Item 10 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00392055

Future trends: Consulting wars WORD COUNT: 836 LINE COUNT: 76

Jan 1993

25/ 6/ 16 (Item 11 from file: 485)

00377782

BI S Sees New Risks in Derivatives

Nov 2, 1992

25/ 6/ 17 (Item 12 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00351021

Achieving Commonality in Workers' Compensation Data Reporting

WORD COUNT: 746 LINE COUNT: 68

Apr 1992

25/ 6/ 18 (Item 13 from file: 485)

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00328859

Outpatient Bundling Regulation Would Be Costly for Hospitals WORD COUNT:
2035 LINE COUNT: 185
Sep 5, 1991

25/ 6/ 19 (Item 1 from file: 56)
0000353309 IP ACCESSION NO: 501636
Precharged-capacitor-assisted sensing (PCAS) scheme with novel level controllers for low-power DRAM's
PUBLICATION DATE: 2000

25/ 6/ 20 (Item 2 from file: 56)
0000351847 IP ACCESSION NO: 496019
Intelligent selection tools
PUBLICATION DATE: 2000

25/ 6/ 21 (Item 3 from file: 56)
0000314954 IP ACCESSION NO: 346150
MPI-Video infrastructure for dynamic environments
PUBLICATION DATE: 1998

25/ 6/ 22 (Item 4 from file: 56)
0000291904 IP ACCESSION NO: 0223988
What test-management software can do for you
PUBLICATION DATE: 1996

25/ 6/ 23 (Item 5 from file: 56)
0000207725 IP ACCESSION NO: 0003291
Closed-loop control of SaO sub(2) in the neonate.
PUBLICATION DATE: 1992

25/ 6/ 24 (Item 6 from file: 56)
0000017095 IP ACCESSION NO: 0154784
Cohort Follow-Up Using Computer Linkage With Routinely Collected Data.
PUBLICATION DATE: 1981

25/ 6/ 25 (Item 1 from file: 441)
00030392 00034074 (USE FORMAT 7 OR 9 FOR FULLTEXT)

HomMed's * monitoring* * system* "reduces hospitalisation * rates* and ER visits for CHF * patients* "
31 July 2000 (20000731)

RECORD TYPE: FULLTEXT WORD COUNT: 463

25/ 6/ 26 (Item 2 from file: 441)

00023602 00026509 (USE FORMAT 7 OR 9 FOR FULLTEXT)

MediServe provides clinical information solutions to Vanderbilt University

1 October 1999 (19991001)

RECORD TYPE: FULLTEXT WORD COUNT: 102

25/ 6/ 27 (Item 3 from file: 441)

00017705 00019553 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Medtronic reports first use of InSync system in the US

10 November 1998 (19981110)

RECORD TYPE: FULLTEXT WORD COUNT: 501

25/ 6/ 28 (Item 4 from file: 441)

00016777 00018603 (USE FORMAT 7 OR 9 FOR FULLTEXT)

KCI offers new treatment for non-healing wounds

29 September 1998 (19980929)

RECORD TYPE: FULLTEXT WORD COUNT: 148

25/ 6/ 29 (Item 5 from file: 441)

00010259 00011685 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Lohmeyer KG settles patent infringement claim made by Siemens

16 September 1997 (19970916)

RECORD TYPE: FULLTEXT WORD COUNT: 150

25/ 6/ 30 (Item 6 from file: 441)

00005666 00004177 (USE FORMAT 7 OR 9 FOR FULLTEXT)

InMedica announces agreement to develop data-collection sensor

12 June 1996 (19960612)

RECORD TYPE: FULLTEXT WORD COUNT: 100

25/ 6/ 31 (Item 7 from file: 441)

00001627 00009977 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Technology/ R&D - Inmedica - Data-Collection Sensor

30 June 1996 (19960630)

25/ 6/ 32 (Item 1 from file: 95)

01520345 20010607043

Performance analysis of a wireless multirate DS-CDMA in multipath fading channels

2000

25/ 6/ 33 (Item 2 from file: 95)

01446587 20000904733

Dynamic assignment of orthogonal variable-spreading-factor codes in W-CDMA

2000

25/ 6/ 34 (Item 3 from file: 95)

01399434 20000403743

Software traffic management architecture for multimedia flows over a real-time microkernel

1999

25/ 6/ 35 (Item 4 from file: 95)

01345376 W99106291401

Moving from Statistical Quality Control (SQC) to Statistical Process Control (SPC) within a precision casting environment

(Wechsel von der statistischen Qualitätskontrolle zur statistischen Prozesssteuerung in einer englischen Präzisionsgiesserei)

1997

25/ 6/ 36 (Item 5 from file: 95)

01271084 E98120574353

Eine Herausforderung fuer den Analysator. Analyse im modernen WAN

1998

25/ 6/ 37 (Item 6 from file: 95)

01197979 N98010041700

Effective outcomes integration

1997

25/ 6/ 38 (Item 7 from file: 95)

01183962 I98030526300

A noninvasive telemetric heart rate monitoring system based on phonocardiography

1997

25/ 6/ 39 (Item 8 from file: 95)

01134056 E97080441277

Drucken mit Windows. Was Drucker-Fehlermeldungen wirklich bedeuten

1997

25/ 6/ 40 (Item 9 from file: 95)

01119618 F97050364981

Acute human testing of a dual chamber ventricular tachyarrhythmia detection algorithm at Mayo Clinic

1996

25/ 6/ 41 (Item 10 from file: 95)

01111413 I97060876248

Telemedicine for diabetes care: the DIABTel approach towards diabetes telecare

(Telemedizin fuer Diabetesbehandlung: das DIABTel-Verfahren fuer Diabetes-Fernueberwachung)

1996

25/ 6/ 42 (Item 11 from file: 95)

01048396 E96126235062

Multicarrier modulation for multimedia communications: Symbol timing and carrier phase synchronization issues

(Mehrraegermodulation fuer die Multimedia-Kommunikation: Symbol-Timing und Traegerphasensynchronisierungsaspekte)

1996

25/ 6/ 43 (Item 12 from file: 95)

00969608 E96036642004

Time code division multiple access: a multiple access technology for indoor wireless communications

(TCDMA: eine Vielfachzugriffstechnologie fuer drahtlose Indoor-Kommunikationen)

1995

25/ 6/ 44 (Item 13 from file: 95)

00931775 W95106623400

Visualization system of in-mold flow

(Graphische Benutzeroberflaeche des Simulationsprogrammes des Schmelzenfluss im erstarrenden Strang der Stranggussanlagen der Nippon Steel)

1995

25/ 6/ 45 (Item 14 from file: 95)

00821855 I94100788217

Self-calibration/ compensation technique for microcontroller-based sensor arrays

(Verfahren zur Selbstkalibrierung/Kompensation von Sensor-Arrays auf Mikrocontroller-Basis)

1994

25/ 6/ 46 (Item 15 from file: 95)

00812161 E94094746080

ONF Open Network FORTH

(ONF, open network FORTH) 1993

25/ 6/ 47 (Item 16 from file: 95)

00791465 E94074504062

Statistical * monitoring* of * users* of ATM networks for * charging* and * network* management purposes

(Statistische Ueberwachung der Anwender von ATM-Netzen fuer die Verrechnung und Netz-Managementzwecke)

1993

25/ 6/ 48 (Item 17 from file: 95)

00787795 I94055364310

A telepresence robot for surveillance use and development of its autonomous movement

(Ein fuer Ueberwachungszwecke entwickelter mobiler Roboter)

1994

25/ 6/ 49 (Item 18 from file: 95)

00761346 E94024992020

A software architecture for a telepresence mobile robot

(Eine Softwarearchitektur fuer einen mobilen Fernueberwachungsroboter)

1992

25/ 6/ 50 (Item 19 from file: 95)

00687988 I92060229921

Neural-network-based adaptive matched filtering for QRS detection

(Auf einem kuenstlichen neuronalen Netz basierende Adaptivfiltertechnik fuer die QRS-Komplex-Erkennung)

1992

25/ 6/ 51 (Item 20 from file: 95)

00626592 F92100092970

Closed-loop control of SaO₂ in the neonate

(Ueberwachung der Sauerstoffsättigung beim Neugeborenen)

1992

25/ 3,K/ 2 (Item 2 from file: 624)

DIALOG(R)File 624:McGraw-Hill Publications
(c) 2009 McGraw-Hill Co. Inc. All rts. reserv.

0623560

NASA picks eight commercial remote sensing projects

Aerospace Daily, Vol. 172, No. 45, Pg 342
December 8, 1994
JOURNAL CODE: ASD
ISSN: 0193-4546
WORD COUNT: 192

TEXT:

... Colo.; Development of Desktop Mapping Software Package Integrating Vector Display, Raster GIS Analysis & RS Change *Detection*, ERDAS Inc., Atlanta; *User* Installable Airborne Imagery *Collection* *System* for Cost Sensitive Applications, TASC, Fort Walton, Fla.; GEODESY: Geography Development, An Educational System for...

25/ 3,K/ 4 (Item 4 from file: 624)

DIALOG(R)File 624:McGraw-Hill Publications
(c) 2009 McGraw-Hill Co. Inc. All rts. reserv.

0114013

PC manages data-gathering

Engineering News-Record, No. 222, No. 10, Pg 56
March 9, 1989
JOURNAL CODE: ENR
SECTION HEADING: Software Previews ISSN: 0013-807X
WORD COUNT: 226

TEXT:

... collection system. The solution is MACS/RMACS, he says. The program, released in December, allows *users* to manage the *collection* *system* from a remote PC. The software scans data at each *monitoring* site, checks for special conditions, triggers alarms if necessary and logs data. Users can set...

25/ 3,K/ 5 (Item 5 from file: 624)

DIALOG(R)File 624:McGraw-Hill Publications
(c) 2009 McGraw-Hill Co. Inc. All rts. reserv.

0008013

Developments to Watch

EDITED BY OTIS PORT

Business Week, Number 2916, Pg 104

October 14, 1985

JOURNAL CODE: BW

SECTION HEADING: Developments to Watch ISSN: 0007-7135

WORD COUNT: 924

TEXT:

... receive data while in automobiles or on trains. Apart from the \$425 price of the *transceiver* for the *computer*, *user* *fees* will be reasonable: \$12 to sign up, plus \$4 per month and 5 for each...

25/ 3,K/ 8 (Item 3 from file: 485)

DIALOG(R)File 485:Accounting & Tax DB

(c) 2009 ProQuest Info&Learning. All rts. reserv.

**** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 ****

00573677

Allocating the cost of accounting for computer services

Doost, Roger K

CPA Journal v66 n6 PP: 68-69 Jun 1996

ISSN: 0732-8435 JRNL CODE: CPA

WORD COUNT: 1732 LINE COUNT: 157

Accounting & Tax DB_1971-2009/Apr W1

...TEXT: department commits to purchasing certain equipment and software for processing, printing, and storage of needed *information*, it makes *sense* to *charge* the *users* based on their budgeted requests where capacity utilization (fixed costs) is concerned. In this manner...

25/ 3,K/ 10 (Item 5 from file: 485)

DIALOG(R)File 485:Accounting & Tax DB

(c) 2009 ProQuest Info&Learning. All rts. reserv.

**** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 ****

00439003

Managing the network revenue stream

Klepp, David E

Telephony v225 n22 PP: 32-33 Nov 29, 1993

ISSN: 0040-2656 JRNL CODE: TPH

WORD COUNT: 1337 LINE COUNT: 122

Accounting & Tax DB_1971-2009/Apr W1

...TEXT: threshold. Users must be kept informed of their "up to the second" account balance to *monitor* and maintain their balance. The *system* must

show *users* the current *charges* for a particular transaction, interact with them to present their current balance and allow them...

25/ 3,K/ 18 (Item 13 from file: 485)

DIALOG(R)File 485:Accounting & Tax DB

(c) 2009 ProQuest Info&Learning. All rts. reserv.

** FULL-TEXT AVAILABLE IN FORMATS 7 AND 9 **

00328859

Outpatient Bundling Regulation Would Be Costly for Hospitals

Burke, Marybeth

Hospitals v65 n17 PP: 34-37 Sep 5, 1991

ISSN: 0018-5973 JRNL CODE: HPT

WORD COUNT: 2035 LINE COUNT: 185

Accounting & Tax DB_1971-2009/Apr W1

...TEXT: reform, Goldman says the bundling regulation will only add to the fragmentation in the current *outpatient* *payment* *system*. She says it doesn't make *sense* to institute new piecemeal initiatives when Congress is about to undertake comprehensive reform.

25/ 3,K/ 25 (Item 1 from file: 441)

DIALOG(R)File 441:ESPICOM Pharm&Med DEVICE NEWS

(c) 2009 ESPICOM Bus.Intell. All rts. reserv.

00030392 00034074 (USE FORMAT 7 OR 9 FOR FULLTEXT)

HomMed's *monitoring* *system* "reduces hospitalisation *rates* and ER visits for CHF *patients* "

Medical Industry Week

31 July 2000 (20000731)

RECORD TYPE: FULLTEXT WORD COUNT: 463

COMPANY: HomMed

HomMed's *monitoring* *system* "reduces hospitalisation *rates* and ER visits for CHF *patients* "

25/ 3,K/ 27 (Item 3 from file: 441)

DIALOG(R)File 441:ESPICOM Pharm&Med DEVICE NEWS

(c) 2009 ESPICOM Bus.Intell. All rts. reserv.

00017705 00019553 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Medtronic reports first use of InSync system in the US

Medical Industry Week

10 November 1998 (19981110)

RECORD TYPE: FULLTEXT WORD COUNT: 501

COMPANY: Medtronics

(THIS IS THE FULLTEXT)

TEXT:

...Medtronic has developed to treat patients suffering from complex heart failure. This includes the Chronicle *implantable* haemodynamic *monitor*, a system which is designed to provide physicians with *continuous*, quantitative information regarding the cardiac performance of the patient. Implanted in the pectoral region of the body, Chronicle *monitors* blood pressure inside the heart, as well as the heart *rate* and exercise level of the patient, to provide physicians with *information* to assist in adjusting the patient's drug therapy. Data gathered by Chronicle is stored...

25/ 3,K/ 30 (Item 6 from file: 441)

DIALOG(R)File 441:ESPICOM Pharm&Med DEVICE NEWS

(c) 2009 ESPICOM Bus.Intell. All rts. reserv.

00005666 00004177 (USE FORMAT 7 OR 9 FOR FULLTEXT)

InMedica announces agreement to develop data-collection sensor

Medical Device Companies Analysis

12 June 1996 (19960612)

RECORD TYPE: FULLTEXT WORD COUNT: 100

COMPANY: InMedica Development Corporation; Northern Ireland Bio-Engineering Centre

(THIS IS THE FULLTEXT)

TEXT:

...for use with InMedica's non- invasive hematocrit measuring device, presently under development. The proposed *sensor* will serve as the *data* - *collection* link between device and *patient*.
"As we strive to further develop our non-invasive hematocrit measurement device, we are confident...

25/ 3,K/ 38 (Item 7 from file: 95)

DIALOG(R)File 95:TEME-Technology & Management

(c) 2009 FIZ TECHNIK. All rts. reserv.

01183962 198030526300

A noninvasive telemetric heart rate monitoring system based on phonocardiography

Torres-Pereira, L; Ruivo, P; Torres-Pereira, C; Couto, C

Dept. of Eng., Univ. of Tras-os-Montes & Alto Douro, Portugal

ISIE '97. Proceedings of the IEEE International Symposium on Industrial Electronics (Cat. No.97TH8280), 7-11 July 1997, Guimaraes, Portugal1997

Document type: Conference paper Language: English

Record type: Abstract

ISBN: 0-7803-3936-3

ABSTRACT:

A reliable, noninvasive, *biotelemetric* heart *rate* *monitoring* *system* , causing minimal constraints to *patients* , for studies of heart *rate* variability, is described. Heart sounds arise from the activity of muscles, valves or blood flux...

25/ 3,K/ 41 (Item 10 from file: 95)

DIALOG(R)File 95:TEME-Technology & Management

(c) 2009 FIZ TECHNIK. All rts. reserv.

01111413 197060876248

Telemedicine for diabetes care: the DIABTel approach towards diabetes telecare

(Telemedizin fuer Diabetesbehandlung: das DIABTel-Verfahren fuer Diabetes-Fernueberwachung)

Gomez, EJ; Del Pozo, F; Hernando, ME

ETSI Telecomunicacion, Univ. Politecnica de Madrid, Spain

Medical Informatics, v21, n4, pp283-295, 1996

Document type: journal article Language: English

Record type: Abstract

ISSN: 0307-7640

...IDENTIFIERS: DATA; SELF MANAGEMENT ACTIONS; REMOTE CARE; MEDICAL WORKSTATION; PC BASED SYSTEM; DIABETES DAY CENTRE UNITS; *PATIENT* UNIT; PALMTOP *COMPUTER* ; *DATA* *COLLECTION* ; INTERPRETATION MODULES; HOSPITAL BASED DIABETOLOGIST; *PATIENT* CONDITION *MONITORING* ; Diabetesbehandlung; Fernueberwachung; Telemedizin

V. Additional Resources Searched

Searches were conducted in two template files not accessible through DIALOG, Financial Times and the Internet and Personal Computing Abstracts, but there were no good results.